

LOUISIANA

2014 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

August 6, 2015



CENTERS FOR DISEASE
CONTROL AND PREVENTION



Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	6,781	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-5

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 6

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	3,521	51.92	39.09
2	Unlisted	243	3.58	4.03
9	Not Applicable	3,017	44.49	56.89

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 7

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	6,732	99.28	99.21
3	Pre-screened as non-working number	17	0.25	0.38
4	cell phone - PRO-T-S	29	0.43	0.34
7	cell phone - unknown status	3	0.04	0.08

Replicate Number

Section: 0.5 Record Identification

Type: Num

Column: 8-13

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Replicate Depth

Section: 0.6 Record Identification

Type: Num

Column: 14-15

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

File Month

Section: 0.7 Record Identification

Type: Num

Column: 16-17

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	700	10.32	10.39
2	February	668	9.85	10.94
3	March	1,106	16.31	16.69
4	April	770	11.36	12.20
5	May	650	9.59	10.39
6	June	518	7.64	7.13
7	July	354	5.22	4.14
8	August	319	4.70	3.47
9	September	277	4.08	3.27
10	October	300	4.42	3.47
11	November	655	9.66	9.46
12	December	464	6.84	8.45

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 18-25

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
LOUISIANA 2014 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 18-19

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	145	2.14	1.67
2	February	526	7.76	6.63
3	March	1,444	21.29	25.48
4	April	670	9.88	8.17
5	May	622	9.17	10.80
6	June	853	12.58	12.75
7	July	495	7.30	6.30
8	August	169	2.49	1.83
9	September	159	2.34	1.88
10	October	442	6.52	5.41
11	November	573	8.45	7.06
12	December	683	10.07	12.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 20-21

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	187	2.76	2.39
2		203	2.99	2.38
3		158	2.33	2.09
4		154	2.27	2.26
5		204	3.01	3.20
6		198	2.92	3.24
7		324	4.78	4.66
8		206	3.04	3.03
9		272	4.01	4.14
10		258	3.80	4.02
11		242	3.57	3.83
12		311	4.59	4.62
13		294	4.34	3.99
14		304	4.48	4.50
15		264	3.89	4.02
16		255	3.76	4.34
17		231	3.41	3.81
18		184	2.71	3.00
19		213	3.14	3.56
20		230	3.39	3.79
21		224	3.30	3.54
22		269	3.97	4.33
23		172	2.54	2.63
24		166	2.45	2.09
25		211	3.11	2.88
26		173	2.55	2.13
27		192	2.83	2.94
28		165	2.43	1.92
29		173	2.55	2.50
30		208	3.07	2.66
31		136	2.01	1.50

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 22-25

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2014	Interview Year	6,771	99.85	99.80
2015		10	0.15	0.20

Interviewer Identification

Section: 0.12 Record Identification

Type: Char

Column: 26-30

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 31-34

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Completed Interview	6,172	91.02	89.27
1200	Partial Complete Interview	609	8.98	10.73

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Type: Num

Column: 45-46

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Type: Num

Column: 47-52

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Type: Num

Column: 53-61

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 62

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to PVTRES D1	6,781	100.00	100.00

Private Residence?

Section: 0.20 Record Identification

Type: Num

Column: 63

SAS Variable Name: PVTRES D1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to STATERES	3,762	99.95	99.98
2	No-Go to COLGHOUS	2	0.05	0.02
BLANK	Missing	3,017		

Do you live in college housing?

Section: 0.21 Record Identification

Type: Num

Column: 64

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to STATERES	2	100.00	100.00
BLANK	Missing	6,779		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Resident of State

Section: 0.22 Record Identification

Type: Num

Column: 65

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____ (state) ____?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON3	3,764	100.00	100.00
BLANK	Not asked or Missing	3,017		

Cellular Telephone

Section: 0.23 Record Identification

Type: Num

Column: 66

SAS Variable Name: CELLFON3

Prologue: Variable only on the land line survey

Description: Is this a cellular telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	1	0.03	0.02
2	Yes-Terminate Land Line Survey	3,763	99.97	99.98
BLANK	Missing	3,017		

Are you 18 years of age or older?

Section: 0.24 Record Identification

Type: Num

Column: 67

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent	2	100.00	100.00
BLANK	Missing	6,779		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adults in Household

Section: 0.25 Record Identification

Type: Num

Column: 68-69

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,543	40.99	21.32
2		1,750	46.49	52.19
3		351	9.33	17.31
4		93	2.47	6.49
5		17	0.45	1.39
6 - 99	6 or more	10	0.27	1.29
BLANK	Missing	3,017		

Number of Adult men in Household

Section: 0.26 Record Identification

Type: Num

Column: 70-71

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,319	35.04	19.50
1		2,159	57.36	63.69
2		245	6.51	12.72
3		34	0.90	3.42
4		4	0.11	0.56
5		2	0.05	0.10
6 - 99	6 or more	1	0.03	0.02
BLANK		3,017		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adult women in Household

Section: 0.27 Record Identification

Type: Num

Column: 72-73

SAS Variable Name: NUMWOMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	418	11.11	7.81
1		2,913	77.39	71.62
2		385	10.23	17.17
3		37	0.98	2.44
4		11	0.29	0.96
BLANK		3,017		

General Health

Section: 1.1 Health Status

Type: Num

Column: 80

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	1,108	16.34	19.08
2	Very good	1,916	28.26	28.63
3	Good	2,061	30.39	30.39
4	Fair	1,122	16.55	14.79
5	Poor	558	8.23	6.83
7	Don't know/Not Sure	15	0.22	0.27
9	Refused	1	0.01	0.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days — Health Related Quality of Life

Type: Num

Column: 81-82

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	2,542	37.49	35.52
88	None	4,072	60.05	62.37
77	Don't know/Not sure	157	2.32	1.97
99	Refused	10	0.15	0.14

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days — Health Related Quality of Life

Type: Num

Column: 83-84

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	2,115	31.19	33.04
88	None	4,529	66.79	65.22
77	Don't know/Not sure	124	1.83	1.61
99	Refused	13	0.19	0.13

Poor Physical or Mental Health

Section: 2.3 Healthy Days — Health Related Quality of Life

Type: Num

Column: 85-86

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,555	43.10	42.44
88	None	1,967	54.52	55.93
77	Don't know/Not sure	75	2.08	1.44
99	Refused	11	0.30	0.19
BLANK	Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	3,173		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 87

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,829	85.96	80.87
2	No	922	13.60	18.62
7	Don't know/Not Sure	19	0.28	0.37
9	Refused	11	0.16	0.14

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 88

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	4,814	71.00	65.12
2	More than one	697	10.28	8.90
3	No	1,240	18.29	25.39
7	Don't know/Not Sure	23	0.34	0.49
9	Refused	6	0.09	0.10
BLANK	Not asked or Missing	1		

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 89

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,024	15.10	17.41
2	No	5,743	84.71	82.37
7	Don't know/Not sure	11	0.16	0.21
9	Refused	2	0.03	0.01
BLANK	Not asked or Missing	1		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 90

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	5,356	79.00	73.97
2	Within past 2 years (1 year but less than 2 years ago)	639	9.42	10.95
3	Within past 5 years (2 years but less than 5 years ago)	307	4.53	6.11
4	5 or more years ago	340	5.01	6.22
7	Don't know/Not sure	89	1.31	1.93
8	Never	42	0.62	0.70
9	Refused	7	0.10	0.12
BLANK	Not asked or Missing	1		

Exercise in Past 30 Days

Section: 4.1 Exercise

Type: Num

Column: 91

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,662	68.75	70.44
2	No	2,110	31.12	29.46
7	Don't know/Not Sure	6	0.09	0.06
9	Refused	3	0.04	0.04

How Much Time Do You Sleep

Section: 5.1 Inadequate Sleep

Type: Num

Column: 92-93

SAS Variable Name: SLEPTIM1

Prologue: I would like to ask you about your sleep pattern.

Description: On average, how many hours of sleep do you get in a 24-hour period?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 24	Number of hours [1-24]	6,665	98.29	98.74
77	Don't know/Not Sure	111	1.64	1.21
99	Refused	5	0.07	0.05

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 94

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	462	6.81	5.14
2	No	6,293	92.80	94.52
7	Don't know/Not sure	21	0.31	0.28
9	Refused	5	0.07	0.06

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 95

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	563	8.30	6.11
2	No	6,159	90.83	93.16
7	Don't know/Not sure	54	0.80	0.67
9	Refused	5	0.07	0.06

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 96

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	336	4.96	3.77
2	No	6,432	94.85	96.07
7	Don't know/Not sure	9	0.13	0.10
9	Refused	4	0.06	0.05

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 97

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	822	12.12	12.49
2	No—Go to Section 06.06 CHCSCNCR	5,941	87.61	87.26
7	Don't know/Not Sure—Go to Section 06.06 CHCSCNCR	14	0.21	0.19
9	Refused—Go to Section 06.06 CHCSCNCR	4	0.06	0.05

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	64.11	61.15
2	No	274	33.33	36.36
7	Don't know/Not Sure	21	2.55	2.49
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	5,959		

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	502	7.40	5.01
2	No	6,263	92.37	94.79
7	Don't know / Not sure	11	0.16	0.14
9	Refused	4	0.06	0.05
BLANK	Not asked or Missing	1		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	600	8.85	6.45
2	No	6,164	90.90	93.19
7	Don't know / Not sure	12	0.18	0.27
9	Refused	5	0.07	0.08

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	612	9.03	7.53
2	No	6,136	90.49	92.04
7	Don't know / Not sure	29	0.43	0.38
9	Refused	4	0.06	0.05

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 102

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,368	34.93	26.95
2	No	4,377	64.56	72.50
7	Don't know/Not Sure	31	0.46	0.50
9	Refused	4	0.06	0.05
BLANK	Not asked or Missing	1		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 103

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,324	19.53	18.57
2	No	5,429	80.06	81.01
7	Don't know/Not sure	22	0.32	0.35
9	Refused	6	0.09	0.07

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 104

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	246	3.63	2.90
2	No	6,514	96.06	96.79
7	Don't know / Not sure	18	0.27	0.27
9	Refused	3	0.04	0.05

Ever told) you have diabetes

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 105

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	992	14.63	11.23
2	Yes, but female told only during pregnancy—Go to Section 07.7.1 LASTDEN3	64	0.94	0.86
3	No—Go to Section 07.7.1 LASTDEN3	5,557	81.95	85.21
4	No, pre-diabetes or borderline diabetes—Go to Section 07.7.1 LASTDEN3	154	2.27	2.50
7	Don't know/Not Sure—Go to Section 07.7.1 LASTDEN3	9	0.13	0.12
9	Refused—Go to Section 07.7.1 LASTDEN3	5	0.07	0.08

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age When Told Diabetic

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 106-107

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older	911	91.65	93.07
98	Don't know/Not sure	81	8.15	6.68
99	Refused	2	0.20	0.25
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,787		

Last Visited Dentist or Dental Clinic

Section: 7.1 Oral Health

Type: Num

Column: 108

SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	4,022	59.31	57.39
2	Within the past 2 years (1 year but less than 2 years ago)	873	12.87	14.68
3	Within the past 5 years (2 years but less than 5 years ago)	694	10.23	10.86
4	5 or more years ago	1,048	15.45	14.81
7	Don't know/Not sure	99	1.46	1.49
8	Never	40	0.59	0.72
9	Refused	5	0.07	0.04

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Permanent Teeth Removed

Section: 7.2 Oral Health

Type: Num

Column: 109

SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	1,966	28.99	27.86
2	6 or more, but not all	1,065	15.71	13.05
3	All	610	9.00	6.63
7	Don't know/Not sure	189	2.79	2.23
8	None	2,933	43.25	50.04
9	Refused	18	0.27	0.19

Reported Age in Years

Section: 8.1 Demographics

Type: Num

Column: 110-111

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	6	0.09	0.06
9	Refused	52	0.77	0.78
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	424	6.25	13.24
25 - 34	Age 25 - 34	753	11.10	18.49
35 - 44	Age 35 - 44	777	11.46	15.86
45 - 54	Age 45 - 54	1,200	17.70	16.91
55 - 64	Age 55 - 64	1,486	21.91	16.36
65 - 99	Age 65 or older	2,083	30.72	18.30

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hispanic, Latino/a, or Spanish origin?

Section: 8.2 Demographics

Type: Char

Column: 112-115

SAS Variable Name: HISPANC3

Prologue:

Description: Are you Hispanic, Latino/a, or Spanish origin? [One or more categories may be selected.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	18	0.27	0.27
9	Refused	19	0.28	0.25
HIDDEN	Data not displayed	6,744	99.45	99.48

Multiple Race

Section: 8.3 Demographics

Type: Char

Column: 116-143

SAS Variable Name: MRACE1

Prologue:

Description: Which one or more of the following would you say is your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	11	0.16	0.36
99	Refused	49	0.72	0.70
HIDDEN	Data not displayed	6,721	99.12	98.94

Respondent Race Choice

Section: 8.4 Demographics

Type: Num

Column: 144-145

SAS Variable Name: ORACE3

Prologue:

Description: Which one of these groups would you say best represents your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategory underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	34	39.08	25.88
20	Black or African American	25	28.74	30.30
30	American Indian or Alaska Native	5	5.75	3.03
50	Pacific Islander	1	1.15	1.42
51	Native Hawaiian	1	1.15	1.78
60	Other	12	13.79	16.70
77	Don't know/Not Sure	9	10.34	20.88
BLANK	Not asked or Missing	6,694		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 146

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	796	11.75	11.31
2	No	5,976	88.19	88.60
9	Refused	4	0.06	0.08
BLANK	Not asked or Missing	5		

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 147

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,247	47.97	47.07
2	Divorced	999	14.76	11.89
3	Widowed	945	13.96	7.34
4	Separated	215	3.18	3.55
5	Never married	1,219	18.01	27.23
6	A member of an unmarried couple	119	1.76	2.57
9	Refused	25	0.37	0.36
BLANK	Not asked or Missing	12		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 148-149

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,960	28.97	38.89
88	None	4,790	70.80	60.87
99	Refused	16	0.24	0.24
BLANK	Not asked or Missing	15		

Education Level

Section: 8.8 Demographics

Type: Num

Column: 150

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	6	0.09	0.09
2	Grades 1 through 8 (Elementary)	210	3.11	3.85
3	Grades 9 through 11 (Some high school)	603	8.92	14.03
4	Grade 12 or GED (High school graduate)	2,137	31.62	33.84
5	College 1 year to 3 years (Some college or technical school)	1,813	26.82	28.22
6	College 4 years or more (College graduate)	1,973	29.19	19.75
9	Refused	17	0.25	0.22
BLANK	Not asked or Missing	22		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 151

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	2,724	40.36	46.56
2	Self-employed	493	7.30	8.18
3	Out of work for 1 year or more	210	3.11	4.12
4	Out of work for less than 1 year	144	2.13	3.05
5	A homemaker	422	6.25	5.73
6	A student	189	2.80	5.63
7	Retired	1,842	27.29	17.03
8	Unable to work	709	10.51	9.45
9	Refused	16	0.24	0.23
BLANK	Not asked or Missing	32		

Income Level

Section: 8.10 Demographics

Type: Num

Column: 152-153

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	464	6.92	7.20
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	443	6.61	6.02
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	566	8.44	8.69
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	595	8.87	9.06
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	612	9.13	8.55
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	715	10.66	10.69
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	771	11.50	11.50
8	\$75,000 or more	1,518	22.64	23.12
77	Don't know/Not sure	553	8.25	9.62
99	Refused	469	6.99	5.57
BLANK	Not asked or Missing	75		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 154-157

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	6,431	96.19	96.54
7777	Don't know/Not sure	112	1.68	1.62
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	5	0.07	0.10
9999	Refused	138	2.06	1.73
BLANK	Not asked or Missing	95		

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 158-161

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	6,620	99.13	99.19
7777	Don't know/Not sure	32	0.48	0.36
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	5	0.07	0.14
9999	Refused	21	0.31	0.32
BLANK	Not asked or Missing	103		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

County Code

Section: 8.13 Demographics

Type: Num

Column: 162-164

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	62	0.93	1.06
999	Refused	55	0.83	0.85
BLANK	Not asked or Missing	138		
HIDDEN	Data not displayed	6,526	98.24	98.09

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Zipcode of residence

Section: 8.14 Demographics

Type: Char

Column: 165-169

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	79	1.19	1.38
99999	Refused	117	1.76	1.82
BLANK	Not asked or Missing	118		
HIDDEN	Data not displayed	6,467	97.06	96.80

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 170

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	230	6.20	4.97
2	No-Go to Section 08.17 CPDEMO1	3,473	93.66	94.84
7	Don't know/Not sure-Go to Section 08.17 CPDEMO1	2	0.05	0.08
9	Refused-Go to Section 08.17 CPDEMO1	3	0.08	0.11
BLANK	Not asked or Missing-Go to Section 08.17 CPDEMO1	3,073		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 171

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	123	53.48	67.98
2	Residential telephone numbers	78	33.91	24.55
3	Residential telephone numbers	15	6.52	3.23
4	Residential telephone numbers	4	1.74	0.46
6	Residential telephone numbers Notes: 6 = 6 or more	1	0.43	0.05
7	Don't know/Not Sure	5	2.17	2.70
9	Refused	4	1.74	1.02
BLANK	Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing	6,551		

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 172

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,031	81.76	84.44
2	No-Go to Section 08.19 INERNET	668	18.02	15.38
7	Don't know/Not sure-Go to Section 08.19 INERNET	1	0.03	0.01
9	Refused-Go to Section 08.19 INERNET	7	0.19	0.16
BLANK	Not asked or Missing	3,074		

What percent of all calls are received on your cell phone?

Section: 8.18 Demographics

Type: Num

Column: 173-175

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 2, 7, 9, or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Internet use in the past 30 days?

Section: 8.19 Demographics

Type: Num

Column: 176

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,809	72.27	76.93
2	No	1,835	27.58	22.99
7	Don't know/Not Sure	4	0.06	0.02
9	Refused	6	0.09	0.06
BLANK	Not asked or Missing	127		

Own or Rent Home

Section: 8.20 Demographics

Type: Num

Column: 177

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	4,777	71.89	69.85
2	Rent	1,346	20.26	20.84
3	Other arrangement	471	7.09	8.57
7	Don't know/Not Sure	8	0.12	0.21
9	Refused	43	0.65	0.52
BLANK	Not asked or Missing	136		

Respondents Sex

Section: 8.21 Demographics

Type: Num

Column: 178

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 08.8.23 QLACTLM2	2,595	38.27	48.31
2	Female	4,186	61.73	51.69

Behavioral Risk Factor Surveillance System
LOUISIANA 2014 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Pregnancy Status

Section: 8.22 Demographics

Type: Num

Column: 179

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	3.91	4.20
2	No	1,101	95.66	95.33
7	Don't know/Not Sure	3	0.26	0.32
9	Refused	2	0.17	0.15
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.01, AGE, is greater than 44	5,630		

Activity Limitation Due to Health Problems

Section: 8.23 Demographics

Type: Num

Column: 180

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,766	26.74	22.66
2	No	4,811	72.85	77.00
7	Don't know/Not Sure	20	0.30	0.28
9	Refused	7	0.11	0.06
BLANK	Not asked or Missing	177		

Health Problems Requiring Special Equipment

Section: 8.24 Demographics

Type: Num

Column: 181

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	857	12.99	9.96
2	No	5,730	86.88	89.95
7	Don't know/Not Sure	4	0.06	0.06
9	Refused	4	0.06	0.03
BLANK	Not asked or Missing	186		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Blind or Difficulty seeing

Section: 8.25 Demographics

Type: Num

Column: 182

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	539	8.18	6.76
2	No	6,042	91.70	93.12
7	Don't know/Not Sure	4	0.06	0.09
9	Refused	4	0.06	0.03
BLANK	Not asked or Missing	192		

Difficulty Concentrating or Remembering

Section: 8.26 Demographics

Type: Num

Column: 183

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	958	14.56	14.44
2	No	5,596	85.03	85.23
7	Don't know/Not Sure	20	0.30	0.26
9	Refused	7	0.11	0.07
BLANK	Not asked or Missing	200		

Difficulty Walking or Climbing Stairs

Section: 8.27 Demographics

Type: Num

Column: 184

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,555	23.67	18.88
2	No	4,996	76.05	80.90
7	Don't know/Not Sure	11	0.17	0.12
9	Refused	7	0.11	0.09
BLANK	Not asked or Missing	212		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Difficulty Dressing or Bathing

Section: 8.28 Demographics

Type: Num

Column: 185

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	406	6.18	4.99
2	No	6,153	93.70	94.92
7	Don't know/Not Sure	3	0.05	0.04
9	Refused	5	0.08	0.06
BLANK	Not asked or Missing	214		

Difficulty Doing Errands Alone

Section: 8.29 Demographics

Type: Num

Column: 186

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	698	10.64	8.48
2	No	5,846	89.08	91.28
7	Don't know/Not Sure	11	0.17	0.17
9	Refused	8	0.12	0.08
BLANK	Not asked or Missing	218		

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use

Type: Num

Column: 187

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,977	45.42	45.82
2	No—Go to Section 09.05 USENOW3	3,537	53.96	53.45
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	32	0.49	0.64
9	Refused—Go to Section 09.05 USENOW3	9	0.14	0.10
BLANK	Not asked or Missing	226		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use

Type: Num

Column: 188

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	938	31.51	36.32
2	Some days	381	12.80	15.67
3	Not at all—Go to Section 09.04 LASTSMK2	1,658	55.69	48.02
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing	3,804		

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use

Type: Num

Column: 189

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 09.05 USENOW3	822	62.32	66.14
2	No—Go to Section 09.05 USENOW3	494	37.45	33.58
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	2	0.15	0.24
9	Refused—Go to Section 09.05 USENOW3	1	0.08	0.03
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing	5,462		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interval Since Last Smoked

Section: 9.4 Tobacco Use

Type: Num

Column: 190-191

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	40	2.41	3.32
2	Within the past 3 months (1 month but less than 3 months ago)	41	2.47	4.37
3	Within the past 6 months (3 months but less than 6 months ago)	54	3.26	4.96
4	Within the past year (6 months but less than 1 year ago)	59	3.56	5.15
5	Within the past 5 years (1 year but less than 5 years ago)	198	11.95	15.81
6	Within the past 10 years (5 years but less than 10 years ago)	190	11.47	11.41
7	10 years or more	1,055	63.67	53.89
8	Never smoked regularly	5	0.30	0.22
77	Don't know/Not sure	15	0.91	0.87
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9;	5,124		

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use

Type: Num

Column: 192

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)(Snus (rhymes with 'goose'))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	138	2.11	2.84
2	Some days	129	1.97	2.43
3	Not at all	6,275	95.79	94.60
7	Don't know/Not Sure	1	0.02	0.01
9	Refused	8	0.12	0.11
BLANK	Not asked or Missing	230		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption

Type: Num

Column: 193-195

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	860	13.14	14.23
201 - 299	Days in past 30 days Notes: 2_ _ = Days in past 30	2,100	32.09	34.34
777	Don't know/Not sure—Go to Section 11.01 FLUSHOT6	90	1.38	1.47
888	No drinks in past 30 days—Go to Section 11.01 FLUSHOT6	3,473	53.07	49.69
999	Refused—Go to Section 11.01 FLUSHOT6	21	0.32	0.26
BLANK	Not asked or Missing	237		

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption

Type: Num

Column: 196-197

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	2,906	98.28	97.96
77	Don't know/Not sure	44	1.49	1.76
99	Refused	7	0.24	0.27
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999;	3,824		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Binge Drinking

Section: 10.3 Alcohol Consumption

Type: Num

Column: 198-199

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	794	26.89	32.05
88	None	2,098	71.05	65.64
77	Don't know/Not Sure	55	1.86	2.06
99	Refused	6	0.20	0.26
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	3,828		

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption

Type: Num

Column: 200-201

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,823	95.69	94.98
77	Don't know/Not sure	118	4.00	4.69
99	Refused	9	0.31	0.33
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	3,831		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult flu shot/spray past 12 mos

Section: 11.1 Immunization

Type: Num

Column: 202

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,061	47.00	40.96
2	No—Go to Section 11.03 PNEUVAC3	3,430	52.66	58.68
7	Don't know/Not Sure—Go to Section 11.03 PNEUVAC3	17	0.26	0.30
9	Refused—Go to Section 11.03 PNEUVAC3	5	0.08	0.06
BLANK	Not asked or Missing	268		

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 11.2 Immunization

Type: Num

Column: 203-208

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12013 - 122014	Month / Year	2,648	86.56	84.41
777777	Don't know/Not Sure	409	13.37	15.52
999999	Refused	2	0.07	0.06
BLANK	Not asked or Missing Notes: Section 11.01, FLUSHOT6, is coded 2, 7, or 9	3,722		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Pneumonia shot ever

Section: 11.3 Immunization

Type: Num

Column: 209

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,263	34.79	27.08
2	No	3,865	59.42	65.42
7	Don't know/Not Sure	372	5.72	7.45
9	Refused	4	0.06	0.06
BLANK	Not asked or Missing	277		

Have you ever had the shingles or zoster vaccine?

Section: 11.4 Immunization

Type: Num

Column: 210

SAS Variable Name: SHINGLE2

Prologue: The next question is about the Shingles vaccine.

Description: Have you ever had the shingles or zoster vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	734	17.77	15.10
2	No	3,319	80.34	82.76
7	Don't know/Not Sure	75	1.82	2.08
9	Refused	3	0.07	0.06
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	2,650		

Had Fall Past Twelve Months

Section: 12.1 Falls

Type: Num

Column: 211-212

SAS Variable Name: FALL12MN

Prologue:

Description: In the past 12 months, how many times have you fallen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	1,181	25.47	24.15
88	None—Go to Section 13.01 SEATBELT	3,388	73.08	74.53
77	Don't know/Not Sure—Go to Section 13.01 SEATBELT	64	1.38	1.26
99	Refused—Go to Section 13.01 SEATBELT	3	0.06	0.05
BLANK	Missing Notes: Section 08.01, AGE, coded 18-44	2,145		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Injured in Fall

Section: 12.2 Falls

Type: Num

Column: 213-214

SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of falls [76=76 or more] Notes: _ _ Number of times, 76=76 or more	461	39.03	38.64
88	None	714	60.46	60.64
77	Don't know/Not Sure	5	0.42	0.61
99	Refused	1	0.08	0.11
BLANK	Missing Notes: Section 08.01, AGE, coded 18-44; or Section 12.01, FALL3MN2, is coded 77, 88, 99 or Missing	5,600		

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 215

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	5,939	91.51	89.21
2	Nearly always	338	5.21	6.64
3	Sometimes	103	1.59	1.94
4	Seldom	41	0.63	0.90
5	Never	42	0.65	0.80
7	Don't know/Not sure	5	0.08	0.15
8	Never drive or ride in a car	17	0.26	0.28
9	Refused	5	0.08	0.07
BLANK	Not asked or Missing	291		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you drive after having too much to drink in the past 30 days?

Section: 14.1 Drinking and Driving

Type: Num

Column: 216-217

SAS Variable Name: DRNKDRI2

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times	104	3.43	4.34
88	None	2,911	96.10	95.08
77	Don't know/Not sure	6	0.20	0.26
99	Refused	8	0.26	0.32
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888 or: Section 13.01, SEATBELT, is coded 8	3,752		

Have You Ever Had a Mammogram

Section: 15.1 Breast and Cervical Cancer Screening

Type: Num

Column: 218

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,124	77.87	64.90
2	No-Go to Section 15.03 PROFEXAM	879	21.91	34.86
7	Don't know/Not sure-Go to Section 15.03 PROFEXAM	4	0.10	0.13
9	Refused-Go to Section 15.03 PROFEXAM	5	0.12	0.11
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	2,769		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Long since Last Mammogram

Section: 15.2 Breast and Cervical Cancer Screening

Type: Num

Column: 219

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,940	62.14	60.86
2	Within the past 2 years (1 year but less than 2 years ago)	569	18.23	18.15
3	Within the past 3 years (2 years but less than 3 years ago)	215	6.89	7.77
4	Within the past 5 years (3 years but less than 5 years ago)	125	4.00	4.36
5	5 or more years ago	237	7.59	7.58
7	Don't know/Not sure	36	1.15	1.27
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.01, HADMAM, is coded 2, 7, 9, or Missing	3,659		

Ever Had Breast Physical Exam by Doctor

Section: 15.3 Breast and Cervical Cancer Screening

Type: Num

Column: 220

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,455	86.18	83.88
2	No—Go to Section 15.05 HADPAP2	533	13.30	15.68
7	Don't know/Not sure—Go to Section 15.05 HADPAP2	17	0.42	0.35
9	Refused—Go to Section 15.05 HADPAP2	4	0.10	0.10
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	2,772		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Long since Last Breast Physical Exam

Section: 15.4 Breast and Cervical Cancer Screening

Type: Num

Column: 221

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,205	63.86	65.59
2	Within the past 2 years (1 year but less than 2 years ago)	584	16.91	16.73
3	Within the past 3 years (2 years but less than 3 years ago)	157	4.55	4.68
4	Within the past 5 years (3 years but less than 5 years ago)	136	3.94	4.10
5	5 or more years ago	292	8.46	7.42
7	Don't know/Not sure	79	2.29	1.48
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.03, PROFEXAM, is coded 2, 7, 9, or Missing	3,328		

Ever Had a Pap Test

Section: 15.5 Breast and Cervical Cancer Screening

Type: Num

Column: 222

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,694	92.28	90.49
2	No—Go to Section 15.07 HADHYST2	286	7.14	8.99
7	Don't know/Not sure—Go to Section 15.07 HADHYST2	19	0.47	0.42
9	Refused—Go to Section 15.07 HADHYST2	4	0.10	0.10
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	2,778		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Long Since Last Pap Test

Section: 15.6 Breast and Cervical Cancer Screening

Type: Num

Column: 223

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,856	50.31	57.01
2	Within the past 2 years (1 year but less than 2 years ago)	597	16.18	15.88
3	Within the past 3 years (2 years but less than 3 years ago)	240	6.51	5.95
4	Within the past 5 years (3 years but less than 5 years ago)	203	5.50	4.88
5	5 or more years ago	678	18.38	14.02
7	Don't know/Not sure	109	2.95	2.17
9	Refused	6	0.16	0.09
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.05, HADPAP2, is coded 2, 7, 9, or Missing	3,092		

Had Hysterectomy

Section: 15.7 Breast and Cervical Cancer Screening

Type: Num

Column: 224

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,631	41.28	32.32
2	No	2,307	58.39	67.41
7	Don't know/Not sure	3	0.08	0.05
9	Refused	10	0.25	0.22
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.22, PREGNANT, is coded 1	2,830		

Has a health professional EVER talked with you about the advantages of the PSA test?

Section: 16.1 Prostate Cancer Screening

Type: Num

Column: 225

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,208	65.19	60.20
2	No	587	31.68	36.85
7	Don't know/Not Sure	54	2.91	2.81
9	Refused	4	0.22	0.15
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2;	4,928		

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Section: 16.2 Prostate Cancer Screening

Type: Num

Column: 226

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	608	32.83	30.67
2	No	1,152	62.20	64.27
7	Don't know/Not Sure	88	4.75	4.87
9	Refused	4	0.22	0.19
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2;	4,929		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Has a doctor EVER recommended that you have a PSA test?

Section: 16.3 Prostate Cancer Screening

Type: Num

Column: 227

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,178	63.64	57.97
2	No	606	32.74	38.72
7	Don't know/Not Sure	64	3.46	3.17
9	Refused	3	0.16	0.13
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2;	4,930		

Ever Had PSA Test

Section: 16.4 Prostate Cancer Screening

Type: Num

Column: 228

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,215	65.71	58.78
2	No—Go to Section 17.01 BLDSTOOL	554	29.96	37.11
7	Don't know/Not Sure—Go to Section 17.01 BLDSTOOL	77	4.16	3.98
9	Refused—Go to Section 17.01 BLDSTOOL	3	0.16	0.13
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2;	4,932		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last PSA Test

Section: 16.5 Prostate Cancer Screening

Type: Num

Column: 229

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	771	63.46	61.69
2	Within the past 2 years (1 year but less than 2 years ago)	207	17.04	18.58
3	Within the past 3 years (2 years but less than 3 years ago)	70	5.76	5.81
4	Within the past 5 years (3 years but less than 5 years ago)	65	5.35	5.58
5	5 or more years ago	65	5.35	5.62
7	Don't know/Not Sure	37	3.05	2.73
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing	5,566		

What was the MAIN reason you had this PSA test?

Section: 16.6 Prostate Cancer Screening

Type: Num

Column: 230

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Part of a routine exam	920	75.72	74.97
2	Because of a prostate problem	99	8.15	8.11
3	Because of a family history of prostate cancer	54	4.44	5.13
4	Because you were told you had prostate cancer	54	4.44	3.56
5	Some other reason	75	6.17	7.10
7	Don't know/Not Sure	13	1.07	1.13
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing	5,566		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Blood Stool Test Using Home Kit

Section: 17.1 Colorectal Cancer Screening

Type: Num

Column: 231

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,460	35.71	33.72
2	No—Go to Section 17.03 HADSIGM3	2,583	63.18	65.27
7	Don't know/Not Sure—Go to Section 17.03 HADSIGM3	39	0.95	0.87
9	Refused—Go to Section 17.03 HADSIGM3	6	0.15	0.14
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50	2,693		

Time Since Last Blood Stool Test

Section: 17.2 Colorectal Cancer Screening

Type: Num

Column: 232

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	403	27.64	28.88
2	Within the past 2 years (1 year but less than 2 years ago)	248	17.01	17.17
3	Within the past 3 years (2 years but less than 3 years ago)	143	9.81	9.67
4	Within the past 5 years (3 years but less than 5 years ago)	167	11.45	11.65
5	5 or more years ago	407	27.91	26.77
7	Don't know/Not sure	90	6.17	5.86
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.01, BLDSTOOL, is coded 2, 7, 9, or Missing	5,323		

Ever Had Sigmoidoscopy/Colonoscopy

Section: 17.3 Colorectal Cancer Screening

Type: Num

Column: 233

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,808	68.81	65.79
2	No—Go to Section 18.01 HIVTST6	1,252	30.68	33.62
7	Don't know/Not Sure—Go to Section 18.01 HIVTST6	14	0.34	0.41
9	Refused—Go to Section 18.01 HIVTST6	7	0.17	0.17
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	2,700		

Was your last test a sigmoidoscopy or colonoscopy?

Section: 17.4 Colorectal Cancer Screening

Type: Num

Column: 234

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Sigmoidoscopy	72	2.57	2.72
2	Colonoscopy	2,670	95.19	94.77
7	Don't know/Not Sure	63	2.25	2.51
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing	3,976		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 17.5 Colorectal Cancer Screening

Type: Num

Column: 235

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	677	24.15	24.92
2	Within the past 2 years (1 year but less than 2 years ago)	486	17.34	17.59
3	Within the past 3 years (2 years but less than 3 years ago)	406	14.48	14.30
4	Within the past 5 years (3 years but less than 5 years ago)	591	21.08	20.88
5	Within the past 10 years (5 years but less than 10 years ago)	422	15.06	14.60
6	10 or more years ago	158	5.64	5.27
7	Don't know/Not sure	63	2.25	2.43
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing	3,978		

Ever tested HIV

Section: 18.1 HIV/AIDS

Type: Num

Column: 236

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,284	35.58	41.48
2	No-Go to optional modules or closing statement	3,812	59.39	54.14
7	Don't know/Not Sure-Go to optional modules or closing statement	310	4.83	4.20
9	Refused-Go to optional modules or closing statement	13	0.20	0.18
BLANK	Not asked or Missing	362		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Month and Year of Last HIV Test

Section: 18.2 HIV/AIDS

Type: Num

Column: 237-242

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122015	Code month and year Notes: _ _/_ _ _ _ month and year	1,464	64.10	68.94
777777	Don't know/Not sure	817	35.77	30.95
999999	Refused	3	0.13	0.11
BLANK	Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing	4,497		

Location of last HIV test

Section: 18.3 HIV/AIDS

Type: Num

Column: 243-244

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	1,042	45.68	44.48
2	Counseling and testing site	81	3.55	3.38
3	Hospital inpatient	268	11.75	10.62
4	Clinic	525	23.02	25.26
5	Jail or prison (or other correctional facility)	23	1.01	1.77
6	Drug treatment facility	10	0.44	0.51
7	At home	23	1.01	0.88
8	Somewhere else	186	8.15	7.64
9	Emergency room	58	2.54	3.04
77	Don't know/Not sure	60	2.63	2.21
99	Refused	5	0.22	0.20
BLANK	Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing	4,500		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 255

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,381	59.36	53.72
2	No	2,120	37.22	42.98
7	Don't know/Not Sure	194	3.41	3.30
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1	1,085		

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 256

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	582	10.22	9.11
2	Yes, during pregnancy	76	1.33	1.14
3	No	5,017	88.09	89.46
7	Don't know/Not Sure	17	0.30	0.25
9	Refused	3	0.05	0.04
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1; If Section 06.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	1,086		

Now Taking Insulin

Module: 2.1 Diabetes

Type: Num

Column: 257

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	304	30.80	31.04
2	No	683	69.20	68.96
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,794		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Often Check Blood for Glucose

Module: 2.2 Diabetes

Type: Num

Column: 258-260

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	583	59.01	60.13
201 - 299	Times per week Notes: 2 _ _ Times per week	170	17.21	16.63
301 - 399	Times per month Notes: 3 _ _ Times per month	86	8.70	9.35
401 - 499	Times per year Notes: 4 _ _ Times per year	20	2.02	2.04
777	Don't know/Not sure	20	2.02	1.70
888	Never	109	11.03	10.15
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,793		

How Often Check Feet for Sores or Irritations

Module: 2.3 Diabetes

Type: Num

Column: 261-263

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	628	63.56	63.49
201 - 299	Times per week Notes: 2 _ _ Times per week	111	11.23	12.23
301 - 399	Times per month Notes: 3 _ _ Times per month	83	8.40	7.43
401 - 499	Times per year Notes: 4 _ _ Times per year	13	1.32	1.25
555	No feet	3	0.30	0.56
777	Don't know/Not sure	29	2.94	2.67
888	Never	120	12.15	12.24
999	Refused	1	0.10	0.14
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,793		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes

Module: 2.4 Diabetes

Type: Num

Column: 264-265

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	850	86.03	86.99
88	None	88	8.91	8.32
77	Don't know/Not sure	48	4.86	4.51
99	Refused	2	0.20	0.18
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,793		

Times Checked for Glycosylated Hemoglobin

Module: 2.5 Diabetes

Type: Num

Column: 266-267

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	801	81.07	81.38
88	None	65	6.58	7.41
98	Never heard of "A one C" test	35	3.54	2.97
77	Don't know/Not sure	87	8.81	8.24
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,793		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Feet Check for Sores/irritations

Module: 2.6 Diabetes

Type: Num

Column: 268-269

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	658	66.80	67.24
88	None	282	28.63	28.29
77	Don't know/Not sure	45	4.57	4.47
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.03, FEETCHK2, is coded 555	5,796		

Last Eye Exam Where Pupils Were Dilated

Module: 2.7 Diabetes

Type: Num

Column: 270

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	256	25.91	23.59
2	Within the past year (1 month but less than 12 months ago)	433	43.83	43.05
3	Within the past 2 years (1 year but less than 2 years ago)	100	10.12	9.83
4	2 or more years ago	130	13.16	14.77
7	Don't know/Not sure	26	2.63	2.74
8	Never	42	4.25	5.94
9	Refused	1	0.10	0.08
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	5,793		

Ever Told Diabetes Has Affected Eyes

Module: 2.8 Diabetes

Type: Num

Column: 271

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	222	22.49	24.20
2	No	755	76.49	74.65
7	Don't know/Not sure	10	1.01	1.15
BLANK	Not asked or Missing	5,794		

Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 2.9 Diabetes

Type: Num

Column: 272

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	546	55.26	56.78
2	No	441	44.64	43.17
7	Don't know/Not sure	1	0.10	0.05
BLANK	Not asked or Missing	5,793		

Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 273-274

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 275-276

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 277-278

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 279-280

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Do you have Medicare?

Module: 4.1 Health Care Access

Type: Num

Column: 281

SAS Variable Name: MEDICARE

Prologue:

Description: Do you have Medicare? (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,465	42.88	32.25
2	No	3,249	56.52	66.62
7	Don't know/Not sure	28	0.49	1.02
9	Refused	6	0.10	0.11
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9;	1,033		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Primary Health Insurance Coverage

Module: 4.2 Health Care Access

Type: Num

Column: 282-283

SAS Variable Name: HLTHCVR1

Prologue:

Description: What is the primary source of your health care coverage? Is it...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A plan purchased through an employer or union Notes: includes plans purchased through another person's employer	2,583	44.95	50.25
2	A plan that you or another family member buys on your own	639	11.12	11.97
3	Medicare	1,669	29.04	21.93
4	Medicaid or other state program	378	6.58	7.49
5	TRICARE (formerly CHAMPUS), VA, or Military	181	3.15	3.22
7	Some other source	171	2.98	2.74
8	None (no coverage)	27	0.47	0.40
77	Don't know/Not Sure	79	1.37	1.69
99	Refused	20	0.35	0.29
BLANK	Not asked or Missing	1,034		

Delayed Getting Medical Care

Module: 4.3 Health Care Access

Type: Num

Column: 284

SAS Variable Name: DELAYMED

Prologue: Other than cost, there are many other reasons people delay getting needed medical care.

Description: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You couldn't get through on the telephone	43	0.64	0.70
2	You couldn't get an appointment soon enough	338	5.06	4.94
3	Once you got there, you had to wait too long to see the doctor	178	2.66	3.16
4	The (clinic/doctor's) office wasn't open when you got there.	38	0.57	0.57
5	You didn't have transportation	251	3.76	3.90
6	Other-Go to Module 04.3.1 DLYOTHER	447	6.69	7.11
7	Don't know/Not Sure	34	0.51	0.50
8	No, I did not delay getting medical care/did not need medical care	5,348	80.01	78.99
9	Refused	7	0.10	0.12
BLANK	Not asked or Missing	97		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Delayed Getting Medical Care Other Response

Module: 4.3.1 Health Care Access

Type: Char

Column: 285-309

SAS Variable Name: DLYOTHER

Prologue:

Description: Delayed Getting Medical Care Other Response

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	6,781	100.00	100.00

Without Health Care Coverage Past 12 Months

Module: 4.4 Health Care Access

Type: Num

Column: 310

SAS Variable Name: NOCOV121

Prologue:

Description: In the PAST 12 MONTHS was there any time when you did NOT have ANY health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Module 04.06 DRVISITS	368	6.40	7.74
2	No—Go to Module 04.06 DRVISITS	5,370	93.46	92.02
7	Don't know/Not Sure—Go to Module 04.06 DRVISITS	8	0.14	0.24
BLANK	Not asked or Missing	1,035		

Time Since Last Had Health Care Coverage

Module: 4.5 Health Care Access

Type: Num

Column: 311

SAS Variable Name: LSTCOVRG

Prologue:

Description: About how long has it been since you last had health care coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	6 months or less	113	12.07	12.30
2	More than 6 months, but not more than 1 year ago	85	9.08	10.81
3	More than 1 year, but not more than 3 years ago	159	16.99	17.19
4	More than 3 years	405	43.27	40.36
5	Never	115	12.29	11.74
7	Don't know/Not Sure	47	5.02	6.34
9	Refused	12	1.28	1.24
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 1; or Module 04.05, NOCOV121, is not equal to missing	5,845		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Doctor Visits Past 12 Months

Module: 4.6 Health Care Access

Type: Num

Column: 312-313

SAS Variable Name: DRVISITS

Prologue:

Description: How many times have you been to a doctor, nurse, or other health professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times	5,700	85.30	83.19
88	None	620	9.28	12.05
77	Don't know/Not Sure	362	5.42	4.76
BLANK	Not asked or Missing	99		

Could Not Get Medicine Due To Cost

Module: 4.7 Health Care Access

Type: Num

Column: 314

SAS Variable Name: MEDSCOST

Prologue:

Description: Was there a time in the past 12 months when you did not take your medication as prescribed because of cost? Do not include over-the-counter (OTC) medication.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	720	10.78	11.61
2	No	5,283	79.06	74.92
3	No medication was prescribed	668	10.00	13.23
7	Don't know/Not Sure	9	0.13	0.21
9	Refused	2	0.03	0.03
BLANK	Not asked or Missing	99		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Satisfied With Care Received

Module: 4.8 Health Care Access

Type: Num

Column: 315

SAS Variable Name: CARERCVD

Prologue:

Description: In general, how satisfied are you with the health care you received? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	4,448	66.57	62.22
2	Somewhat satisfied	1,757	26.29	28.54
3	Not at all satisfied	270	4.04	5.30
7	Don't know/Not Sure	45	0.67	0.69
8	Not applicable	156	2.33	3.17
9	Refused	6	0.09	0.07
BLANK	Not asked or Missing	99		

Currently Have Health Care Bills

Module: 4.9 Health Care Access

Type: Num

Column: 316

SAS Variable Name: MEDBILL1

Prologue:

Description: Do you currently have any health care bills that are being paid off over time? (This could include medical bills being paid off with a credit card, through personal loans, or bill paying arrangements with hospitals or other providers. The bills can be from earlier years as well as this year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,403	21.00	23.02
2	No	5,226	78.21	75.82
7	Don't know/Not Sure	45	0.67	1.04
9	Refused	8	0.12	0.12
BLANK	Not asked or Missing	99		

Asked during checkup if you drink alcohol

Module: 5.1 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 317

SAS Variable Name: ASBIALCH

Prologue: Healthcare providers may ask during routine checkups about behaviors like alcohol use, whether you drink or not. We want to know about their questions.

Description: You told me earlier that your last routine checkup was [within the past year/within the past 2 years]. At that checkup, were you asked in person or on a form if you drink alcohol?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asked in person or by form how much you drink?

Module: 5.2 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 318

SAS Variable Name: ASBIDRNK

Prologue:

Description: Did the health care provider ask you in person or on a form how much you drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing	6,781		

Asked whether you drank [5 FOR MEN /4 FOR WOMEN] or more alcoholic drinks on an occasion?

Module: 5.3 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 319

SAS Variable Name: ASBIBING

Prologue:

Description: Did the healthcare provider specifically ask whether you drank [5 FOR MEN /4 FOR WOMEN] or more alcoholic drinks on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing	6,781		

Offered advice about what level of drinking is harmful or risky?

Module: 5.4 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 320

SAS Variable Name: ASBIADVC

Prologue:

Description: Were you offered advice about what level of drinking is harmful or risky for your health?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing	6,781		

Were you advised to reduce or quit your drinking?

Module: 5.5 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 321

SAS Variable Name: ASBIRDUC

Prologue: Healthcare providers may also advise patients to drink less for various reasons.

Description: At your last routine checkup, were you advised to reduce or quit your drinking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing; or Module 05.01, ASBIALCH, is coded 2, 7, 9 or Missing and Module 05.02, ASBIDRNK is coded 2, 7, 9 or Missing and Module 05.03, ASBIBING, is coded 2, 7, 9 or Missing	6,781		

Watching Sodium or Salt Intake

Module: 6.1 Sodium or Salt-Related Behavior

Type: Num

Column: 322

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

How Long Watching Salt/Sodium Intake

Module: 6.2 Sodium or Salt-Related Behavior

Type: Num

Column: 323-325

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 06.01, WTCHSALT, is coded 2, 7, 9, or Missing	6,781		

Doctor Advised Reduced Sodium/Salt Intake

Module: 6.3 Sodium or Salt-Related Behavior

Type: Num

Column: 326

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age at Asthma Diagnosis

Module: 7.1 Adult Asthma History

Type: Num

Column: 327-328

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	401	52.28	47.15
97	Age 10 or younger	298	38.85	44.59
98	Don't know/Not sure	66	8.60	7.87
99	Refused	2	0.26	0.39
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	6,014		

Asthma During Past 12 Months

Module: 7.2 Adult Asthma History

Type: Num

Column: 329

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	234	48.05	50.78
2	No-Go to Module 09.05 ASRCHKUP	246	50.51	48.05
7	Don't know/Not sure-Go to Module 09.05 ASRCHKUP	6	1.23	0.86
9	Refused-Go to Module 09.05 ASRCHKUP	1	0.21	0.31
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,294		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Emergency Asthma Care During Past 12 Months

Module: 7.3 Adult Asthma History

Type: Num

Column: 330-331

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	72	30.77	34.52
88	None	160	68.38	63.85
98	Don't know/Not sure	2	0.85	1.63
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing	6,547		

Urgent Asthma Treatment During Past 12 Months

Module: 7.4 Adult Asthma History

Type: Num

Column: 332-333

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,]"

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	95	40.60	38.89
88	None	132	56.41	57.86
98	Don't know/Not sure	7	2.99	3.25
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing	6,547		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months

Module: 7.5 Adult Asthma History

Type: Num

Column: 334-335

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	260	53.50	50.87
88	None	200	41.15	44.07
98	Don't know/Not sure	24	4.94	4.72
99	Refused	2	0.41	0.34
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,295		

Activities Limited Because of Asthma During Past 12 Months

Module: 7.6 Adult Asthma History

Type: Num

Column: 336-338

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	126	25.93	25.64
777	Don't know/Not sure	25	5.14	4.95
888	None	334	68.72	69.11
999	Refused	1	0.21	0.31
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,295		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asthma Symptoms During Past 30 Days

Module: 7.7 Adult Asthma History

Type: Num

Column: 339

SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	107	22.15	24.19
2	Once or twice a week	94	19.46	20.41
3	More that 2 times a week, but not every day	61	12.63	11.62
4	Every day, but not all the time	41	8.49	8.15
5	Every day, all the time	28	5.80	5.29
7	Don't know/Not sure	14	2.90	1.96
8	Not at any time—Go to Module 09.09 ASTHMED3	135	27.95	27.74
9	Refused	3	0.62	0.65
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,298		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 7.8 Adult Asthma History

Type: Num

Column: 340

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	72	20.87	21.35
2	Three to four	32	9.28	9.05
3	Five	15	4.35	5.51
4	Six to ten	13	3.77	4.45
5	More than ten	36	10.43	12.41
7	Don't know/Not sure	9	2.61	1.70
8	None	167	48.41	45.09
9	Refused	1	0.29	0.44
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.07, ASYMPTOM, is coded 8	6,436		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Days used prescribed preventative asthma med in past 30 days

Module: 7.9 Adult Asthma History

Type: Num

Column: 341

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	102	21.34	21.96
2	15 to 24 days	7	1.46	1.72
3	25 to 30 days	166	34.73	30.21
7	Don't know/Not sure	8	1.67	1.22
8	Never	194	40.59	44.57
9	Refused	1	0.21	0.32
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,303		

Times used asthma inhaler during an attack in past 30 days

Module: 7.10 Adult Asthma History

Type: Num

Column: 342

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	139	29.26	30.54
2	5 to 14 times (in the past 30 days)	39	8.21	8.21
3	15 to 29 times (in the past 30 days)	18	3.79	3.99
4	30 to 59 times (in the past 30 days)	28	5.89	5.12
5	60 to 99 times (in the past 30 days)	10	2.11	1.59
6	100 or more times (in the past 30 days)	6	1.26	1.21
7	Don't know/Not sure	16	3.37	3.61
8	Never (include no attack in past 30 days)	219	46.11	45.71
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	6,306		

Where did you get your last flu shot/vaccine?

Module: 8.1 Influenza

Type: Num

Column: 343-344

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, FLUSHOT6, is coded 2, 7, or 9	6,781		

Received Tetanus Shot Since 2005?

Module: 9.1 Tetanus Diphtheria (TDAP) (Adults)

Type: Num

Column: 345

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Have you ever had an HPV test?

Module: 10.1 Adult Human Papilloma Virus (HPV) - Testing

Type: Num

Column: 346

SAS Variable Name: HPVTEST

Prologue: Now, I would like to ask you about the Human Papillomavirus (Pap•uh•loh•muh Virus) or HPV.

Description: An HPV test is sometimes given with the Pap test for cervical cancer screening. Have you ever had an HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	6,781		

How long since your last HPV test?

Module: 10.2 Adult Human Papilloma Virus (HPV) - Testing

Type: Num

Column: 347

SAS Variable Name: HPLSTTST

Prologue:

Description: How long has it been since you had your last HPV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 10.01, HPVTEST, is coded 2, 7, 9 or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have you ever had the HPV vaccination?

Module: 11.1 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 348

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49	6,781		

How many HPV shots did you receive?

Module: 11.2 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 349-350

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	6,781		

How Many Types of Cancer?

Module: 12.1 Cancer Survivorship

Type: Num

Column: 351

SAS Variable Name: CNCRDIFF

Prologue:

Description: How many different types of cancer have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing; and Section 16.06, PCPSARS1 is not coded 4	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age Told Had Cancer

Module: 12.2 Cancer Survivorship

Type: Num

Column: 352-353

SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing	6,781		

Type of Cancer

Module: 12.3 Cancer Survivorship

Type: Num

Column: 354-355

SAS Variable Name: CNCRTYP1

Prologue:

Description: What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing	6,781		

Currently Receiving Treatment for Cancer

Module: 12.4 Cancer Survivorship

Type: Num

Column: 356

SAS Variable Name: CSRVRT1

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What Type of Doctor Provides Majority of Your Care

Module: 12.5 Cancer Survivorship

Type: Num

Column: 357-358

SAS Variable Name: CSRVD0C1

Prologue:

Description: What type of doctor provides the majority of your health care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Did You Receive a Summary of Cancer Treatments Received

Module: 12.6 Cancer Survivorship

Type: Num

Column: 359

SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 12.7 Cancer Survivorship

Type: Num

Column: 360

SAS Variable Name: CSRVRTRN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Instructions Written or Printed

Module: 12.8 Cancer Survivorship

Type: Num

Column: 361

SAS Variable Name: CSRVINST

Prologue:

Description: Were these instructions written down or printed on paper for you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or	6,781		

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 12.9 Cancer Survivorship

Type: Num

Column: 362

SAS Variable Name: CSRVINSR

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ("Health insurance" also includes Medicare, Medicaid, or other types of state health programs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or	6,781		

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 12.10 Cancer Survivorship

Type: Num

Column: 363

SAS Variable Name: CSRVDEIN

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or	6,781		

Behavioral Risk Factor Surveillance System
LOUISIANA 2014 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 12.11 Cancer Survivorship

Type: Num

Column: 364

SAS Variable Name: CSRVCLIN

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Currently Have Physical Pain From Cancer Or Treatment?

Module: 12.12 Cancer Survivorship

Type: Num

Column: 365

SAS Variable Name: CSRVPAIN

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Is Pain Under Control?

Module: 12.13 Cancer Survivorship

Type: Num

Column: 366

SAS Variable Name: CSRVCTL1

Prologue:

Description: Is your pain currently under control?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How do other people usually classify you in this country?

Module: 13.1 Reactions to Race

Type: Num

Column: 367

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

How often do you think about your race?

Module: 13.2 Reactions to Race

Type: Num

Column: 368

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 13.3 Reactions to Race

Type: Num

Column: 369

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	6,781		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 13.4 Reactions to Race

Type: Num

Column: 370

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 13.5 Reactions to Race

Type: Num

Column: 371

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 13.6 Reactions to Race

Type: Num

Column: 372

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Type of Work

Module: 14.1 Industry and Occupation

Type: Char

Column: 373-472

SAS Variable Name: TYPEWORK

Prologue:

Description: What kind of work do/did you do? [(for example, registered nurse, janitor, cashier, auto mechanic)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	47	1.43	1.28
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	3,484		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	3,250	98.57	98.72

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Business/Industry

Module: 14.2 Industry and Occupation

Type: Char

Column: 473-572

SAS Variable Name: TYPEINDS

Prologue:

Description: What kind of business or industry do/did you work in? [(for example, hospital, elementary school, clothing manufacturing, restaurant)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	42	1.28	1.28
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	3,489		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	3,250	98.72	98.72

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 15.1 Social Context

Type: Num

Column: 573

SAS Variable Name: SCNTMNY1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.20, RENTHOM1, is coded 3, 7, 9 or Missing	6,781		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 15.2 Social Context

Type: Num

Column: 574

SAS Variable Name: SCNTMEL1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Are You Generally Paid For The Work You Do

Module: 15.3 Social Context

Type: Num

Column: 575

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	6,781		

How Many Hours Per Week Do You Work

Module: 15.4 Social Context

Type: Num

Column: 576-577

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8	6,781		

How Were You Generally Paid For The Work You Did

Module: 15.5 Social Context

Type: Num

Column: 578

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0	6,781		

How Many Hours Per Week Did You Work

Module: 15.6 Social Context

Type: Num

Column: 579-580

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0	6,781		

Did You Vote In The Last Presidential Election?

Module: 15.7 Social Context

Type: Num

Column: 581

SAS Variable Name: SCNTVOT1

Prologue:

Description: Did you vote in the last presidential election? [The November 2012 election between Barack Obama and Mitt Romney.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Sexual orientation or gender identity

Module: 16.1 Sexual Orientation and Gender Identity

Type: Num

Column: 582

SAS Variable Name: SXORIENT

Prologue:

Description: Do you consider yourself to be: (We ask this question in order to better understand the health and health care needs of people with different sexual orientations.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Straight	6,081	96.49	95.89
2	Lesbian or gay	66	1.05	1.32
3	Bisexual	74	1.17	1.65
4	Other	17	0.27	0.18
7	Don't know/Not Sure	10	0.16	0.15
9	Refused	54	0.86	0.79
BLANK	Not asked or Missing	479		

Do you consider yourself to be transgender?

Module: 16.2 Sexual Orientation and Gender Identity

Type: Num

Column: 583

SAS Variable Name: TRNSGNDR

Prologue:

Description: Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Transgender, male-to-female	19	0.30	0.32
2	Yes, Transgender, female to male	8	0.13	0.07
3	Yes, Transgender, gender nonconforming	5	0.08	0.11
4	No	6,213	98.68	98.76
7	Don't know/Not Sure	13	0.21	0.19
9	Refused	38	0.60	0.55
BLANK	Not asked or Missing	485		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Birth date of child

Module: 17.1 Random Child Selection

Type: Char

Column: 584-589

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	109	6.07	6.67
999999	Refused	134	7.46	7.78
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing;	4,984		
HIDDEN	Data not displayed	1,554	86.48	85.54

Gender of child

Module: 17.2 Random Child Selection

Type: Num

Column: 590

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	915	51.09	49.41
2	Girl	822	45.90	47.72
9	Refused	54	3.02	2.86
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,990		

Ethnicity of child

Module: 17.3 Random Child Selection

Type: Char

Column: 591-594

SAS Variable Name: RCHISLA1

Prologue:

Description: Is the child Hispanic, Latino/a, or Spanish origin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	8	0.45	0.48
9	Refused	49	2.74	2.72
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,993		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,731	96.81	96.80

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Race of child (multiple possible)

Module: 17.4 Random Child Selection

Type: Char

Column: 595-622

SAS Variable Name: RCSRACE1

Prologue:

Description: Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	3	0.17	0.23
99	Refused	54	3.02	3.00
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,994		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,730	96.81	96.78

Race of child

Module: 17.5 Random Child Selection

Type: Num

Column: 623-624

SAS Variable Name: RCSBRAC1

Prologue:

Description: Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	13	33.33	31.75
20	Black or African American	9	23.08	26.36
30	American Indian or Alaska Native	1	2.56	0.34
40	Asian	1	2.56	1.16
60	Other Notes: Specify_____	6	15.38	15.90
77	Don't know/Not Sure	6	15.38	14.01
99	Refused	3	7.69	10.49
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 17.04, RCSRACE1, has only one valid race code (10-60)	6,742		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Relationship to child

Module: 17.6 Random Child Selection

Type: Num

Column: 625

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	1,352	75.66	75.77
2	Grandparent	232	12.98	8.25
3	Foster parent or guardian	12	0.67	0.55
4	Sibling (include biologic, step, and adoptive sibling)	72	4.03	7.43
5	Other relative	60	3.36	4.72
6	Not related in any way	24	1.34	1.46
7	Don't know/Not sure	1	0.06	0.05
9	Refused	34	1.90	1.77
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,994		

Hlth pro ever said child has asthma

Module: 18.1 Childhood Asthma Prevalence

Type: Num

Column: 626

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	229	12.81	11.75
2	No-Go to next module	1,507	84.33	85.24
7	Don't know/Not Sure-Go to next module	14	0.78	1.01
9	Refused-Go to next module	37	2.07	1.99
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	4,994		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child still have asthma?

Module: 18.2 Childhood Asthma Prevalence

Type: Num

Column: 627

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	155	67.69	68.12
2	No	66	28.82	26.10
7	Don't know/Not Sure	8	3.49	5.78
BLANK	Not asked or Missing	6,552		

Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing;
 or Module 18.01, CASTHDX2, is coded 2, 7, 9, or Missing

How often get emotional support needed

Module: 19.1 Emotional Support and Life Satisfaction

Type: Num

Column: 628

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Satisfaction with life

Module: 19.2 Emotional Support and Life Satisfaction

Type: Num

Column: 629

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	6,781		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 630

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	74.20	74.83
2	No	226	25.80	25.17
BLANK	Not asked or Missing	5,905		

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 631

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	5,351	85.93	85.27
1	Adult	728	11.69	11.94
2	Child	148	2.38	2.79
BLANK	Not asked or Missing	554		

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 632

SAS Variable Name: CTELNUM1

Prologue: Variable only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes--Go to CELLFON2	3,017	100.00	100.00
BLANK	Not asked or Missing	3,764		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 633

SAS Variable Name: CELLFON2

Prologue: Variable only on the cell phone survey

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes--Go to CADULT	3,017	100.00	100.00
BLANK	Not asked or Missing	3,764		

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 634

SAS Variable Name: CADULT

Prologue: Variable only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent--Go to PVTRES2	1,423	47.17	54.74
2	Yes, Female Respondent--Go to PVTRES2	1,594	52.83	45.26
BLANK	Not asked or Missing	3,764		

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 635

SAS Variable Name: PVTRES2

Prologue: Variable only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes--Go to CSTATE	3,001	99.47	99.26
2	No--Go to CCLGHOUS	16	0.53	0.74
BLANK	Not asked or Missing	3,764		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you live in college housing?

CellPhone: 1.5 Cell Phone Introduction

Type: Num

Column: 636

SAS Variable Name: CCLGHOUS

Prologue: Variable only on the cell phone survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CSTATE	16	100.00	100.00
BLANK	Missing	6,765		

Are you a resident of [STATE]?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 637

SAS Variable Name: CSTATE

Prologue: Variable only on the cell phone survey

Description: Are you a resident of [STATE]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to LANDLINE	2,926	96.98	96.80
2	No-Go to RSPSTATE	91	3.02	3.20
BLANK	Not asked or Missing	3,764		

In what state do you live?

CellPhone: 1.7 Cell Phone Introduction

Type: Num

Column: 638-639

SAS Variable Name: RSPSTATE

Prologue: Variable only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
22	Louisiana	91	100.00	100.00
BLANK	Not asked or Missing	6,690		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you also have a landline telephone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 640

SAS Variable Name: LANDLINE

Prologue: Variable only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,155	38.30	35.16
2	No	1,859	61.64	64.80
9	Refused	2	0.07	0.05
BLANK	Not asked or Missing	3,765		

Number of Adults in Household

CellPhone: 1.9 Cell Phone Introduction

Type: Num

Column: 641-642

SAS Variable Name: HHADULT

Prologue: Variable only on the cell phone survey

Description: How many members of your household, including yourself, are 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of adults	2,997	100.00	100.00
BLANK	Not asked or Missing	3,784		

Adult Hispanic response

State: 1.1 CDCCATI

Type: Num

Column: 643

SAS Variable Name: ADHISPA

Prologue:

Description: Adult Hispanic response

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	180	2.66	4.44
2	No	6,545	96.88	95.16
7	Don't know/Not Sure	13	0.19	0.17
9	Refused	18	0.27	0.24
BLANK	Missing	25		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Hispanic response

State: 1.2 CDCCATI

Type: Num

Column: 644

SAS Variable Name: CHHISPA

Prologue:

Description: Child Hispanic response

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	4.75	6.53
2	No	1,651	92.18	90.41
7	Don't know/Not Sure	7	0.39	0.45
9	Refused	48	2.68	2.61
BLANK	Missing	4,990		

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 645-646

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Landline single questionnaire	3,764	55.51	43.11
20	Cell Phone single questionnaire	3,017	44.49	56.89

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 647-648

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	6,774	99.90	99.75
2	Spanish	7	0.10	0.25

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Cell Phone County Name

State: 1.1 Cell Phone Pilot II

Type: Char

Column: 659-703

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		6,781	100.00	100.00

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 851-1349

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

End of Data-Submission Record Marker

State: 1.1 End of Data Submission

Type: Num

Column: 1350

SAS Variable Name: EOR

Prologue:

Description: End of Data-Submission Record Marker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	End of Data-Submission Record Marker	6,781	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Num

Column: 1351-1355

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1356

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	1,583	42.06	39.35
2	Outside the center city of an MSA but inside the county containing the center city	624	16.58	14.81
3	Inside a suburban county of the MSA	569	15.12	18.16
5	Not in an MSA	988	26.25	27.68
BLANK	GU, PR, VI	3,017		

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1357-1362

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1363-1372

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 1373-1382

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1383-1392

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1393-1402

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPNPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1403-1412

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 1413-1414

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1415-1416

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	424	6.25	13.24
25 - 34	Age 25 to 34	754	11.12	18.54
35 - 44	Age 35 to 44	787	11.61	16.11
45 - 54	Age 45 to 54	1,220	17.99	17.17
55 - 64	Age 55 to 64	1,513	22.31	16.64
65 - 99	Age 65 or older	2,083	30.72	18.30

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed Age value collapsed above 80

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1417-1418

SAS Variable Name: _AGE80

Prologue:

Description: Imputed Age value collapsed above 80

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Imputed Age 18 to 24	424	6.25	13.24
25 - 29	Imputed Age 25 to 29	380	5.60	9.57
30 - 34	Imputed Age 30 to 34	374	5.52	8.97
35 - 39	Imputed Age 35 to 39	370	5.46	7.55
40 - 44	Imputed Age 40 to 44	417	6.15	8.56
45 - 49	Imputed Age 45 to 49	548	8.08	7.82
50 - 54	Imputed Age 50 to 54	672	9.91	9.35
55 - 59	Imputed Age 55 to 59	742	10.94	8.43
60 - 64	Imputed Age 60 to 64	771	11.37	8.21
65 - 69	Imputed Age 65 to 69	696	10.26	6.27
70 - 74	Imputed Age 70 to 74	539	7.95	4.52
75 - 79	Imputed Age 75 to 79	392	5.78	3.78
80 - 99	Imputed Age 80 or older	456	6.72	3.74

Imputed race/ethnicity value

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1419-1420

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	4,522	66.69	61.66
2	Black, Non-Hispanic	1,847	27.24	30.10
3	Asian, Non-Hispanic	39	0.58	1.10
4	American Indian/Alaskan Native, Non-Hispanic	65	0.96	1.25
5	Hispanic	161	2.37	4.16
6	Other race, Non-Hispanic	147	2.17	1.74

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed number of phones

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1421

SAS Variable Name: _IMPNPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	3,666	97.40	98.61
2		78	2.07	1.20
3		15	0.40	0.16
4		4	0.11	0.02
6		1	0.03	0.00
BLANK		3,017		

Imputed County

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1422-1424

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Imputed Education Level

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1425

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an education level. The value of the imputed education level will be computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	6	0.09	0.09
2	Grades 1 through 8 (Elementary)	210	3.10	3.83
3	Grades 9 through 11 (Some high school)	606	8.94	14.04
4	Grade 12 or GED (High school graduate)	2,149	31.69	33.89
5	College 1 year to 3 years (Some college or technical school)	1,828	26.96	28.38
6	College 4 years or more (College graduate)	1,982	29.23	19.76

Behavioral Risk Factor Surveillance System
LOUISIANA 2014 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Marital Status

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1426

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an marital status. The value of the imputed marital status will be computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,263	48.12	47.22
2	Divorced	1,003	14.79	11.93
3	Widowed	949	13.99	7.35
4	Separated	218	3.21	3.56
5	Never married	1,227	18.09	27.34
6	A member of an unmarried couple	121	1.78	2.60

Imputed Own or Rent Home

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1427

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an ownership status (tenure). The value of the imputed tenure will be computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	4,909	72.39	70.40
2	Rent	1,387	20.45	21.03
3	Other arrangement	485	7.15	8.57

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.18 Weighting Variables

Type: Num

Column: 1428-1429

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	5	0.07	0.13
4	Arizona	1	0.01	0.05
5	Arkansas	1	0.01	0.02
6	California	1	0.01	0.04
8	Colorado	3	0.04	0.08
9	Connecticut	2	0.03	0.05
12	Florida	2	0.03	0.02
13	Georgia	6	0.09	0.11
15	Hawaii	5	0.07	0.06
17	Illinois	2	0.03	0.06
18	Indiana	1	0.01	0.01
19	Iowa	2	0.03	0.05
20	Kansas	4	0.06	0.08
21	Kentucky	1	0.01	0.02
22	Louisiana	6,690	98.66	98.18
24	Maryland	1	0.01	0.03
26	Michigan	6	0.09	0.11
28	Mississippi	11	0.16	0.19
29	Missouri	1	0.01	0.03
31	Nebraska	2	0.03	0.06
34	New Jersey	1	0.01	0.05
36	New York	2	0.03	0.03
37	North Carolina	2	0.03	0.03
38	North Dakota	4	0.06	0.09
39	Ohio	2	0.03	0.03
40	Oklahoma	4	0.06	0.11
45	South Carolina	4	0.06	0.04
47	Tennessee	1	0.01	0.01
48	Texas	4	0.06	0.09
49	Utah	3	0.04	0.05
51	Virginia	1	0.01	0.02
53	Washington	1	0.01	0.02
54	West Virginia	1	0.01	0.02
55	Wisconsin	3	0.04	0.05
66	Guam	1	0.01	0.02

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Truncated design weight used in adult land line raking

Weighting: 1.19 Weighting Variables

Type: Num

Column: 1430-1439

SAS Variable Name: _LANDWT2

Prologue:

Description: Truncated design weight used in adult land line raking

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1440-1442

SAS Variable Name: _MRG01

Prologue:

Description: Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	3,764	100.00	100.00
BLANK	Missing	3,017		

Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1443-1445

SAS Variable Name: _MRG02

Prologue:

Description: Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	3,764	100.00	100.00
BLANK	Missing	3,017		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Third Margin (Education)

Land-Line Raking: 1.3 Weighting Variables

Type: Num

Column: 1446-1448

SAS Variable Name: _MRG03

Prologue:

Description: Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	436	11.58	16.92
2	HS Grad	1,200	31.88	34.48
3	Some College	965	25.64	26.62
4	College Grad	1,163	30.90	21.97
BLANK	Missing	3,017		

Land-Line Fourth Margin (Marital Status)

Land-Line Raking: 1.4 Weighting Variables

Type: Num

Column: 1449-1451

SAS Variable Name: _MRG04

Prologue:

Description: Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	1,884	50.05	57.23
2	Never married, member unmarried couple	451	11.98	17.70
3	Divorced, Widowed, Separated	1,429	37.96	25.07
BLANK	Missing	3,017		

Land-Line Fifth Margin (Home Ownership)

Land-Line Raking: 1.5 Weighting Variables

Type: Num

Column: 1452-1454

SAS Variable Name: _MRG05

Prologue:

Description: Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	3,764	100.00	100.00
BLANK	Missing	3,017		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Raking: 1.6 Weighting Variables

Type: Num

Column: 1455-1457

SAS Variable Name: _MRG06

Prologue:

Description: Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	3,764	100.00	100.00
BLANK	Missing	3,017		

Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Raking: 1.7 Weighting Variables

Type: Num

Column: 1458-1460

SAS Variable Name: _MRG07

Prologue:

Description: Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	3,764	100.00	100.00
BLANK	Missing	3,017		

Land-Line Eighth Margin (Regions)

Land-Line Raking: 1.8 Weighting Variables

Type: Num

Column: 1461-1463

SAS Variable Name: _MRG08

Prologue:

Description: Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Land-Line Ninth Margin (Regions-Age)

Land-Line Raking: 1.9 Weighting Variables

Type: Num

Column: 1464-1466

SAS Variable Name: _MRG09

Prologue:

Description: Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1467-1469

SAS Variable Name: _MRG10

Prologue:

Description: Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1470-1472

SAS Variable Name: _MRG11

Prologue:

Description: Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1473-1482

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1483-1485

SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-Line Ranking: 1.2 Weighting Variables **Type:** Num

Column: 1486-1488 **SAS Variable Name:** _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Third Margin (Education)

Land-Line Ranking: 1.3 Weighting Variables **Type:** Num

Column: 1489-1491 **SAS Variable Name:** _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Fourth Margin (Marital Status)

Land-Line Ranking: 1.4 Weighting Variables **Type:** Num

Column: 1492-1494 **SAS Variable Name:** _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-Line Ranking: 1.5 Weighting Variables **Type:** Num

Column: 1495-1497 **SAS Variable Name:** _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Ranking: 1.6 Weighting Variables

Type: Num

Column: 1498-1500

SAS Variable Name: _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Ranking: 1.7 Weighting Variables

Type: Num

Column: 1501-1503

SAS Variable Name: _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Eighth Margin (Regions)

Land-Line Ranking: 1.8 Weighting Variables

Type: Num

Column: 1504-1506

SAS Variable Name: _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-Line Ranking: 1.9 Weighting Variables

Type: Num

Column: 1507-1509

SAS Variable Name: _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking:	1.10 Weighting Variables		Type: Num
Column:	1510-1512		SAS Variable Name: _MRG10V1
Prologue:			
Description:	Version 1 Land-Line Tenth Margin (Regions-Gender)		

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking:	1.11 Weighting Variables		Type: Num
Column:	1513-1515		SAS Variable Name: _MRG11V1
Prologue:			
Description:	Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)		

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Final weight questionnaire version 1: Land-line data only

Land-LineRaking:	1.12 Weighting Variables		Type: Num
Column:	1516-1525		SAS Variable Name: _LNDWTV1
Prologue:			
Description:	Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)		

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 2 Land-Line First Margin (Age-Gender)

Land-LineRaking:	1.1 Weighting Variables		Type: Num
Column:	1526-1528		SAS Variable Name: _MRG01V2
Prologue:			
Description:	Version 2 Land-Line First Margin (Age-Gender)		

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Second Margin (Race/Ethnicity)

Land-Line Ranking: 1.2 Weighting Variables

Type: Num

Column: 1529-1531

SAS Variable Name: _MRG02V2

Prologue:

Description: Version 2 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Third Margin (Education)

Land-Line Ranking: 1.3 Weighting Variables

Type: Num

Column: 1532-1534

SAS Variable Name: _MRG03V2

Prologue:

Description: Version 2 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Fourth Margin (Marital Status)

Land-Line Ranking: 1.4 Weighting Variables

Type: Num

Column: 1535-1537

SAS Variable Name: _MRG04V2

Prologue:

Description: Version 2 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Fifth Margin (Home Ownership)

Land-Line Ranking: 1.5 Weighting Variables

Type: Num

Column: 1538-1540

SAS Variable Name: _MRG05V2

Prologue:

Description: Version 2 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Ranking: 1.6 Weighting Variables

Type: Num

Column: 1541-1543

SAS Variable Name: _MRG06V2

Prologue:

Description: Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Ranking: 1.7 Weighting Variables

Type: Num

Column: 1544-1546

SAS Variable Name: _MRG07V2

Prologue:

Description: Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Eighth Margin (Regions)

Land-Line Ranking: 1.8 Weighting Variables

Type: Num

Column: 1547-1549

SAS Variable Name: _MRG08V2

Prologue:

Description: Version 2 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Ninth Margin (Regions-Age)

Land-Line Ranking: 1.9 Weighting Variables

Type: Num

Column: 1550-1552

SAS Variable Name: _MRG09V2

Prologue:

Description: Version 2 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Tenth Margin (Regions-Gender)

Land-LineRanking: 1.10 Weighting Variables **Type:** Num
Column: 1553-1555 **SAS Variable Name:** _MRG10V2
Prologue:
Description: Version 2 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRanking: 1.11 Weighting Variables **Type:** Num
Column: 1556-1558 **SAS Variable Name:** _MRG11V2
Prologue:
Description: Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Final weight questionnaire version 2: Land-line data only

Land-LineRanking: 1.12 Weighting Variables **Type:** Num
Column: 1559-1568 **SAS Variable Name:** _LNDWTV2
Prologue:
Description: Final weight assigned to each respondent questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 3 Land-Line First Margin (Age-Gender)

Land-LineRanking: 1.1 Weighting Variables **Type:** Num
Column: 1569-1571 **SAS Variable Name:** _MRG01V3
Prologue:
Description: Version 3 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Second Margin (Race/Ethnicity)

Land-Line Ranking: 1.2 Weighting Variables

Type: Num

Column: 1572-1574

SAS Variable Name: _MRG02V3

Prologue:

Description: Version 3 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Third Margin (Education)

Land-Line Ranking: 1.3 Weighting Variables

Type: Num

Column: 1575-1577

SAS Variable Name: _MRG03V3

Prologue:

Description: Version 3 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Fourth Margin (Marital Status)

Land-Line Ranking: 1.4 Weighting Variables

Type: Num

Column: 1578-1580

SAS Variable Name: _MRG04V3

Prologue:

Description: Version 3 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Fifth Margin (Home Ownership)

Land-Line Ranking: 1.5 Weighting Variables

Type: Num

Column: 1581-1583

SAS Variable Name: _MRG05V3

Prologue:

Description: Version 3 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Ranking: 1.6 Weighting Variables

Type: Num

Column: 1584-1586

SAS Variable Name: _MRG06V3

Prologue:

Description: Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Ranking: 1.7 Weighting Variables

Type: Num

Column: 1587-1589

SAS Variable Name: _MRG07V3

Prologue:

Description: Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Eighth Margin (Regions)

Land-Line Ranking: 1.8 Weighting Variables

Type: Num

Column: 1590-1592

SAS Variable Name: _MRG08V3

Prologue:

Description: Version 3 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Ninth Margin (Regions-Age)

Land-Line Ranking: 1.9 Weighting Variables

Type: Num

Column: 1593-1595

SAS Variable Name: _MRG09V3

Prologue:

Description: Version 3 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables **Type:** Num
Column: 1596-1598 **SAS Variable Name:** _MRG10V3
Prologue:
Description: Version 3 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables **Type:** Num
Column: 1599-1601 **SAS Variable Name:** _MRG11V3
Prologue:
Description: Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Final weight questionnaire version 3: Land-line data only

Land-LineRaking: 1.12 Weighting Variables **Type:** Num
Column: 1602-1611 **SAS Variable Name:** _LNDWTV3
Prologue:
Description: Final weight assigned to each respondent questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemographics: 1.01 Child Demographic Variables

Type: Num

Column: 1612

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Child of Hispanic, Latino/a, or Spanish origin Notes: Hispanic, Latino/a, Spanish	77	1.14	2.07
2	Child not of Hispanic, Latino/a, or Spanish origin Notes: Not Hispanic, Latino/a, Spanish	1,654	24.39	31.89
9	Don't know/Not Sure/Refused	5,050	74.47	66.04

CRACORG1 with responses in ascending order

ChildDemographics: 1.03 Child Demographic Variables

Type: Num

Column: 1641-1668

SAS Variable Name: CRACASC1

Prologue:

Description: CRACORG1 with responses in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure	3	0.08	0.11
99	Refused	54	1.51	1.50
BLANK	Missing	9,988		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	3,517	98.41	98.39

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Preferred Child Race Categories

ChildDemographics: 1.04 Child Demographic Variables

Type: Num

Column: 1669-1670

SAS Variable Name: _CPRACE

Prologue:

Description: Preferred Child Race Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: CRACASC1 = 10 or CRACASC1 > 100 and RCSBRAC1=10	1,016	56.86	55.34
2	Black or African American Notes: CRACASC1 = 20 or CRACASC1 > 100 and RCSBRAC1=2	615	34.42	34.79
3	American Indian or Alaskan Native Notes: CRACASC1 = 30 or CRACASC1 > 100 and RCSBRAC1=30	23	1.29	1.33
4	Asian Notes: CRACASC1 = 40,41,42,43,44,45,46,47 or CRACASC1 > 100 and RCSBRAC1=40,41,42,43,44,45,46,47	12	0.67	0.92
5	Native Hawaiian or other Pacific Islander Notes: CRACASC1 = 50,51,52,53,54 or CRACASC1 > 100 and RCSBRAC1=50,51,52,53,54	3	0.17	0.23
6	Other race Notes: CRACASC1 = 60 or CRACASC1 > 100 and RCSBRAC1=60	52	2.91	3.61
77	Don't know/Not sure Notes: CRACASC1 = 77 or CRACASC1 > 100 and RCSBRAC1=77	9	0.50	0.54
99	Refused Notes: CRACASC1 = 99 or CRACASC1 > 100 and RCSBRAC1=99	57	3.19	3.23
BLANK	Missing Notes: CRACASC1 = Missing	4,994		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.05 Child Demographic Variables

Type: Num

Column: 1671-1672

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACASC1 = 10	1,003	56.13	54.63
2	Black or African American only Notes: CRACASC1 = 20	606	33.91	34.20
3	American Indian or Alaskan Native only Notes: CRACASC1 = 30	22	1.23	1.32
4	Asian Only Notes: CRACASC1 = 40,41,42,43,44,45,46,47	11	0.62	0.90
5	Native Hawaiian or other Pacific Islander only Notes: CRACASC1 = 50,51,52,53,54	3	0.17	0.23
6	Other race only Notes: CRACASC1 = 60	46	2.57	3.26
7	Multiracial Notes: CRACASC1 >= 100	39	2.18	2.22
77	Don't know/Not sure Notes: CRACASC1 = 77	3	0.17	0.23
99	Refused Notes: CRACASC1 = 99	54	3.02	3.00
BLANK	Missing Notes: CRACASC1 = Missing	4,994		

Imputed Child Age

ChildDemographics: 1.06 Child Demographic Variables

Type: Num

Column: 1673

SAS Variable Name: _IMPCAGE

Prologue:

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	0-4 Years old	428	23.82	27.76
2	5-9 Years old	506	28.16	28.10
3	10-14 Years old	516	28.71	25.89
4	15-17 Years old	347	19.31	18.25
BLANK	Not asked or Missing	4,984		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed Child Race/Ethnicity

ChildDemographics: 1.07 Child Demographic Variables

Type: Num

Column: 1674

SAS Variable Name: _IMPCRAC

Prologue:

Description: Imputed Child Race/Ethnicity

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, non-Hispanic	1,031	57.37	55.38
2	Black or African American, non-Hispanic	620	34.50	34.64
3	Asian, non-Hispanic	13	0.72	0.98
4	American Indian or Alaskan Native, non-Hispanic	20	1.11	1.11
5	Multi-race, non-Hispanic or Other race, non-Hispanic	34	1.89	2.02
6	Hispanic	79	4.40	5.88
BLANK	Missing	4,984		

Imputed Child Gender

ChildDemographics: 1.08 Child Demographic Variables

Type: Num

Column: 1675

SAS Variable Name: _IMPCSEX

Prologue:

Description: Imputed Child Gender

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	952	52.98	51.03
2	Female	845	47.02	48.97
BLANK	Missing	4,984		

Raw child weighting factor

ChildWeighting : 1.01 Child Weighting Variables

Type: Num

Column: 1676-1685

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child design weight

ChildWeighting 1.02 Child Weighting Variables

Type: Num

Column: 1686-1695

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Child Age (in months)

ChildWeighting 1.03 Child Weighting Variables

Type: Num

Column: 1696-1698

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age (in months)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	63	3.51	4.30
12 - 23	1 Year old	77	4.28	4.96
24 - 35	2 Years old	74	4.12	5.08
36 - 47	3 Years old	64	3.56	4.11
48 - 59	4 Years old	70	3.90	4.02
60 - 71	5 Years old	72	4.01	4.68
72 - 83	6 Years old	87	4.84	5.13
84 - 95	7 Years old	86	4.79	4.41
96 - 107	8 Years old	88	4.90	4.71
108 - 119	9 Years old	89	4.95	4.78
120 - 131	10 Years old	85	4.73	4.09
132 - 143	11 Years old	88	4.90	4.91
144 - 155	12 Years old	89	4.95	3.98
156 - 167	13 Years old	86	4.79	4.25
168 - 179	14 Years old	98	5.45	4.81
180 - 191	15 Years old	101	5.62	5.59
192 - 203	16 Years old	121	6.73	6.21
204 - 215	17 Years old	116	6.46	5.53
777	Don't know / Not sure	109	6.07	6.67
999	Refused	134	7.46	7.78
BLANK	Not asked or Missing	4,984		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1699-1701

SAS Variable Name: _CMRG01

Prologue:

Description: Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	796	100.00	100.00
BLANK	Missing	5,985		

Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1702-1704

SAS Variable Name: _CMRG02

Prologue:

Description: Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	796	100.00	100.00
BLANK	Missing	5,985		

Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables

Type: Num

Column: 1705-1707

SAS Variable Name: _CMRG03

Prologue:

Description: Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	796	100.00	100.00
BLANK	Missing	5,985		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1708-1710 **SAS Variable Name:** _CMRG04
Prologue:
Description: Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	796	100.00	100.00
BLANK	Missing	5,985		

Final child weight: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1711-1720 **SAS Variable Name:** _CLANDWT
Prologue:
Description: Final child weight: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1721-1723 **SAS Variable Name:** _CMG01V1
Prologue:
Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking:	1.2 Child Weighting Variables		Type: Num
Column:	1724-1726	SAS Variable Name:	_CMG02V1
Prologue:			
Description:	Version 1 Child Land-Line Second Margin (Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking:	1.3 Child Weighting Variables		Type: Num
Column:	1727-1729	SAS Variable Name:	_CMG03V1
Prologue:			
Description:	Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking:	1.4 Child Weighting Variables		Type: Num
Column:	1730-1732	SAS Variable Name:	_CMG04V1
Prologue:			
Description:	Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Final child weight questionnaire version 1: Land-line data only

ChildLand-Line Raking:	1.5 Child Weighting Variables		Type: Num
Column:	1733-1742	SAS Variable Name:	_CLDWTV1
Prologue:			
Description:	Final child weight questionnaire version 1: Land-line data only (Raking derived weight)		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00
			Weighted Percentage
			100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1743-1745 **SAS Variable Name:** _CMG01V2
Prologue:
Description: Version 2 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables **Type:** Num
Column: 1746-1748 **SAS Variable Name:** _CMG02V2
Prologue:
Description: Version 2 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1749-1751 **SAS Variable Name:** _CMG03V2
Prologue:
Description: Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1752-1754 **SAS Variable Name:** _CMG04V2
Prologue:
Description: Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight questionnaire version 2: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1755-1764 **SAS Variable Name:** _CLDWTV2
Prologue:
Description: Final child weight questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 3 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1765-1767 **SAS Variable Name:** _CMG01V3
Prologue:
Description: Version 3 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables **Type:** Num
Column: 1768-1770 **SAS Variable Name:** _CMG02V3
Prologue:
Description: Version 3 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1771-1773 **SAS Variable Name:** _CMG03V3
Prologue:
Description: Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1774-1776 **SAS Variable Name:** _CMG04V3
Prologue:
Description: Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Final child weight questionnaire version 3: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1777-1786 **SAS Variable Name:** _CLDWTV3
Prologue:
Description: Final child weight questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables **Type:** Num
Column: 1787-1789 **SAS Variable Name:** _CLCPM01
Prologue:
Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,797	100.00	100.00
BLANK	Missing	4,984		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables
ellRaking:

Type: Num

Column: 1790-1792

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,797	100.00	100.00
BLANK	Missing	4,984		

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1793-1795

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,797	100.00	100.00
BLANK	Missing	4,984		

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1796-1798

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,797	100.00	100.00
BLANK	Missing	4,984		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1799-1801 **SAS Variable Name:** _CLCPM05
Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,797	100.00	100.00
BLANK	Missing	4,984		

Final child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1802-1811 **SAS Variable Name:** _CLLCPWT
Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1812-1814 **SAS Variable Name:** _CLCM1V1
Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1815-1817 **SAS Variable Name:** _CLCM2V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1818-1820 **SAS Variable Name:** _CLCM3V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1821-1823 **SAS Variable Name:** _CLCM4V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1824-1826 **SAS Variable Name:** _CLCM5V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1827-1836 **SAS Variable Name:** _CLCWTV1
Prologue:
Description: Version 1 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables **Type:** Num
Column: 1837-1839 **SAS Variable Name:** _CLCM1V2
Prologue:
Description: Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables **Type:** Num
Column: 1840-1842 **SAS Variable Name:** _CLCM2V2
Prologue:
Description: Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandCellRaking: 1.3 Child Weighting Variables **Type:** Num
Column: 1843-1845 **SAS Variable Name:** _CLCM3V2
Prologue:
Description: Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1846-1848 **SAS Variable Name:** _CLCM4V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1849-1851 **SAS Variable Name:** _CLCM5V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1852-1861 **SAS Variable Name:** _CLCWTV2

Prologue:

Description: Version 2 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1862-1864 **SAS Variable Name:** _CLCM1V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1865-1867 **SAS Variable Name:** _CLCM2V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1868-1870 **SAS Variable Name:** _CLCM3V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1871-1873 **SAS Variable Name:** _CLCM4V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1874-1876 **SAS Variable Name:** _CLCM5V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1877-1886 **SAS Variable Name:** _CLCWTV3
Prologue:
Description: Version 3 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables **Type:** Num
Column: 1887-1896 **SAS Variable Name:** _RAWHH
Prologue:
Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables **Type:** Num
Column: 1897-1906 **SAS Variable Name:** _WT2HH
Prologue:
Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1907-1909

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Person	1,334	35.44	17.62
2	2 People	1,375	36.53	35.43
3	3 People	493	13.10	18.60
4 - 99	4+ People	562	14.93	28.35
BLANK		3,017		

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1910-1912

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Adult	1,543	40.99	21.32
2	2 Adults	1,750	46.49	52.19
3 - 99	3+ Adults	471	12.51	26.49
BLANK		3,017		

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1913-1915

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Children	2,922	77.63	67.07
1	1 Child	357	9.48	13.20
2 - 99	2+ Children	485	12.89	19.73
BLANK		3,017		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1916-1925

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Original State and Original Sequence Number

LandandCellRanking: 1.1 Weighting Variables

Type: Char

Column: 1926-1937

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Dual Phone Use Categories

LandandCellRanking: 1.2 Weighting Variables

Type: Num

Column: 1938

SAS Variable Name: _DUALUSE

Prologue:

Description: Dual Phone Use Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Land Line: Cell Phone Mostly	3,031	44.70	35.87
2	Cell Phone: Cell Phone Mostly	1,155	17.03	19.99
9	No Dual Phone Use	2,595	38.27	44.14

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Dual Phone Use Correction Factor

LandandCellRaking: 1.3 Weighting Variables

Type: Num

Column: 1939-1948

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

Value	Value Label	Frequency	Percentage	Weighted Percentage
0.3211		1,155	27.59	35.78
0.6788		3,031	72.41	64.22
BLANK		2,595		

Truncated design weight used in adult combined land line and cell phone raking

LandandCellRaking: 1.4 Weighting Variables

Type: Num

Column: 1949-1958

SAS Variable Name: _LLCPWT2

Prologue:

Description: Truncated design weight used in adult combined land line and cell phone raking

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRaking: 1.5 Weighting Variables

Type: Num

Column: 1959-1961

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables

Type: Num

Column: 1962-1964

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.7 Weighting Variables

Type: Num

Column: 1965-1967

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	822	12.12	17.97
2	HS Grad	2,149	31.69	33.89
3	Some College	1,828	26.96	28.38
4	College Grad	1,982	29.23	19.76

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.8 Weighting Variables

Type: Num

Column: 1968-1970

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,263	48.12	47.22
2	Never married, member unmarried couple	1,348	19.88	29.94
3	Divorced, Widowed, Separated	2,170	32.00	22.84

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 1971-1973 **SAS Variable Name:** _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.10 Weighting Variables **Type:** Num
Column: 1974-1976 **SAS Variable Name:** _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.11 Weighting Variables **Type:** Num
Column: 1977-1979 **SAS Variable Name:** _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 1980-1982 **SAS Variable Name:** _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.13 Weighting Variables
 king:

Type: Num

Column: 1983-1985

SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.14 Weighting Variables
 king:

Type: Num

Column: 1986-1988

SAS Variable Name: _LLCPM10

Prologue:

Description: Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa 1.15 Weighting Variables
 king:

Type: Num

Column: 1989-1991

SAS Variable Name: _LLCPM11

Prologue:

Description: Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa 1.16 Weighting Variables
 king:

Type: Num

Column: 1992-1994

SAS Variable Name: _LLCPM12

Prologue:

Description: Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

LandandCellRanking: 1.17 Weighting Variables **Type:** Num
Column: 1995-1997 **SAS Variable Name:** _LLCPM13

Prologue:

Description: Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Thirteenth raking margin: (counties)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

LandandCellRanking: 1.18 Weighting Variables **Type:** Num
Column: 1998-2000 **SAS Variable Name:** _LLCPM14

Prologue:

Description: Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Fourteenth raking margin: (counties-race/ethnicity)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

LandandCellRanking: 1.19 Weighting Variables **Type:** Num
Column: 2001-2003 **SAS Variable Name:** _LLCPM15

Prologue:

Description: Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Fifteenth raking margin: (counties-age)	6,781	100.00	100.00

Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

LandandCellRanking: 1.20 Weighting Variables **Type:** Num
Column: 2004-2006 **SAS Variable Name:** _LLCPM16

Prologue:

Description: Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Sixteenth raking margin: (counties-sex)	6,781	100.00	100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight: Land-line and cell-phone data

LandandCellRanking: 1.21 Weighting Variables **Type:** Num
Column: 2007-2016 **SAS Variable Name:** _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	6,781	100.00	100.00

Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables **Type:** Num
Column: 2017-2019 **SAS Variable Name:** _LCM01V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 2020-2022 **SAS Variable Name:** _LCM02V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.3 Weighting Variables **Type:** Num
Column: 2023-2025 **SAS Variable Name:** _LCM03V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa king:	1.4	Weighting Variables		Type: Num
Column:	2026-2028			SAS Variable Name: _LCM04V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa king:	1.5	Weighting Variables		Type: Num
Column:	2029-2031			SAS Variable Name: _LCM05V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa king:	1.6	Weighting Variables		Type: Num
Column:	2032-2034			SAS Variable Name: _LCM06V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa king:	1.7	Weighting Variables		Type: Num
Column:	2035-2037			SAS Variable Name: _LCM07V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa king:	1.8	Weighting Variables		Type: Num
Column:	2038-2040			SAS Variable Name: _LCM08V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa king:	1.9	Weighting Variables		Type: Num
Column:	2041-2043			SAS Variable Name: _LCM09V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa king:	1.10	Weighting Variables		Type: Num
Column:	2044-2046			SAS Variable Name: _LCM10V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa king:	1.11	Weighting Variables		Type: Num
Column:	2047-2049			SAS Variable Name: _LCM11V1
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 2050-2052 **SAS Variable Name:** _LCM12V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 1 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 2053-2062 **SAS Variable Name:** _LCPWTV1

Prologue:

Description: Version 1 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables **Type:** Num
Column: 2063-2065 **SAS Variable Name:** _LCM01V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 2066-2068 **SAS Variable Name:** _LCM02V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa king:	1.3	Weighting Variables		Type: Num
Column:	2069-2071			SAS Variable Name: _LCM03V2
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa king:	1.4	Weighting Variables		Type: Num
Column:	2072-2074			SAS Variable Name: _LCM04V2
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa king:	1.5	Weighting Variables		Type: Num
Column:	2075-2077			SAS Variable Name: _LCM05V2
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa king:	1.6	Weighting Variables		Type: Num
Column:	2078-2080			SAS Variable Name: _LCM06V2
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables **Type:** Num
Column: 2081-2083 **SAS Variable Name:** _LCM07V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 2084-2086 **SAS Variable Name:** _LCM08V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 2087-2089 **SAS Variable Name:** _LCM09V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.10 Weighting Variables **Type:** Num
Column: 2090-2092 **SAS Variable Name:** _LCM10V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.11 Weighting Variables **Type:** Num
Column: 2093-2095 **SAS Variable Name:** _LCM11V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 2096-2098 **SAS Variable Name:** _LCM12V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 2 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 2099-2108 **SAS Variable Name:** _LCPWTV2

Prologue:

Description: Version 2 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00	100.00

Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables **Type:** Num
Column: 2109-2111 **SAS Variable Name:** _LCM01V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRa king:	1.2	Weighting Variables		Type: Num
Column:	2112-2114			SAS Variable Name: _LCM02V3
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa king:	1.3	Weighting Variables		Type: Num
Column:	2115-2117			SAS Variable Name: _LCM03V3
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa king:	1.4	Weighting Variables		Type: Num
Column:	2118-2120			SAS Variable Name: _LCM04V3
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa king:	1.5	Weighting Variables		Type: Num
Column:	2121-2123			SAS Variable Name: _LCM05V3
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)			
Value	Value Label		Frequency	Percentage
BLANK	Missing		6,781	Weighted Percentage

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables **Type:** Num
Column: 2124-2126 **SAS Variable Name:** _LCM06V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables **Type:** Num
Column: 2127-2129 **SAS Variable Name:** _LCM07V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 2130-2132 **SAS Variable Name:** _LCM08V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 2133-2135 **SAS Variable Name:** _LCM09V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	6,781		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa king:	1.10 Weighting Variables		Type: Num
Column:	2136-2138	SAS Variable Name:	_LCM10V3
Prologue:			
Description:	Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa king:	1.11 Weighting Variables		Type: Num
Column:	2139-2141	SAS Variable Name:	_LCM11V3
Prologue:			
Description:	Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa king:	1.12 Weighting Variables		Type: Num
Column:	2142-2144	SAS Variable Name:	_LCM12V3
Prologue:			
Description:	Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	6,781	Weighted Percentage

Version 3 weight: Land-line and cell-phone data

LandandCellRa king:	1.13 Weighting Variables		Type: Num
Column:	2145-2154	SAS Variable Name:	_LCPWTV3
Prologue:			
Description:	Version 3 weight assigned to each respondent: Land-line and cell-phone data		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,781	100.00
			Weighted Percentage
			100.00

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults with good or better health

Calculated Variables: 1.1 Calculated Variables

Type: Num

Column: 2155

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	5,085	74.99	78.10
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	1,680	24.78	21.62
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	16	0.24	0.27

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 2156

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 1	3,725	54.93	62.12
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 2	891	13.14	18.27
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLN1 = 7 or 9 or Missing	2,165	31.93	19.61

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 4.1 Calculated Variables

Type: Num

Column: 2157

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	4,662	68.75	70.44
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	2,110	31.12	29.46
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	9	0.13	0.10

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Lifetime Asthma Calculated Variable

Calculated Variables: 6.1 Calculated Variables

Type: Num

Column: 2158

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	5,941	87.61	87.26
2	Yes Notes: ASTHMA3 = 1	822	12.12	12.49
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	18	0.27	0.24

Current Asthma Calculated Variable

Calculated Variables: 6.2 Calculated Variables

Type: Num

Column: 2159

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	6,215	91.65	91.81
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	527	7.77	7.64
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	39	0.58	0.56

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Asthma Status

Calculated Variables: 6.3 Calculated Variables

Type: Num

Column: 2160

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	527	7.77	7.64
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	274	4.04	4.54
3	Never Notes: ASTHMA3 = 2	5,941	87.61	87.26
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	39	0.58	0.56

Respondents diagnosed with arthritis

Calculated Variables: 6.4 Calculated Variables

Type: Num

Column: 2161

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	2,368	35.11	27.10
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	4,377	64.89	72.90
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	36		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults aged 18+ that have had permanent teeth extracted

Calculated Variables: 7.1 Oral Health

Type: Num

Column: 2162

SAS Variable Name: _EXTETH2

Prologue:

Description: Adults aged 18+ who have had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTETH3=8	2,933	43.25	50.04
2	At risk Notes: RMVTETH=1 or 2 or 3	3,641	53.69	47.55
9	Don't know/Not Sure Or Refused/Missing Notes: RMVTETH3=7 or 9 or Missing	207	3.05	2.42

Adults aged 65+ who have had all their natural teeth extracted

Calculated Variables: 7.2 Oral Health

Type: Num

Column: 2163

SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: AGE>= 65 and RMVTETH3=1 or 2 or 8	1,590	74.26	72.03
2	Yes Notes: AGE>= 65 and RMVTETH3=3	384	17.94	18.60
9	Don't know/Not Sure Or Refused/Missing Notes: AGE>= 65 or =7 or 9 or Missing and RMVTETH3=7 or 9 or Missing	167	7.80	9.37
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	4,640		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults that have visited a dentist, dental hygenist or dental clinic within the past year

Calculated Variables: 7.3 Oral Health **Type:** Num
Column: 2164 **SAS Variable Name:** _DENVST2

Prologue:

Description: Adults who have visited a dentist, dental hygenist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: LASTDEN3=1	4,022	59.31	57.39
2	No Notes: LASTDEN3=2 or 3 or 4	2,655	39.15	41.07
9	Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3=7 or 9 or Missing	104	1.53	1.54

MRACE1 with 77,80,88,90s removed calculated variable

Calculated Variables: 8.1 Calculated Race Variables **Type:** Char
Column: 2165-2192 **SAS Variable Name:** MRACORG1

Prologue:

Description: MRACE1 with 77,80,88,90s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACE1 = 77	11	0.16	0.36
99	Refused Notes: MRACE1 = 99	49	0.72	0.70
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,721	99.12	98.94

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 8.2 Calculated Race Variables **Type:** Num
Column: 2193-2220 **SAS Variable Name:** MRACASC1

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACORG1 = 77	11	0.16	0.36
99	Refused Notes: MRACORG1 = 99	49	0.72	0.70
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	6,721	99.12	98.94

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Preferred Race

Calculated Variables: 8.3 Calculated Race Variables

Type: Num

Column: 2221-2222

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACASC1 = 10	4,594	67.75	63.24
2	Black or African American Notes: MRACASC1 = 20	1,870	27.58	30.45
3	American Indian or Alaskan Native Notes: MRACASC1 = 30	73	1.08	1.35
4	Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47	39	0.58	1.10
5	Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54	10	0.15	0.24
6	Other race Notes: MRACASC1 = 60	125	1.84	2.34
7	No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9	9	0.13	0.21
8	Multiracial but preferred race not answered Notes: MRACASC1 >= 100 and ORACE3 = 8 or Missing	1	0.01	0.02
77	Don't know/Not sure Notes: MRACASC1 = 77	11	0.16	0.36
99	Refused Notes: MRACASC1 = 99	49	0.72	0.70

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.4 Calculated Race Variables

Type: Num

Column: 2223-2224

SAS Variable Name: _MRACE1

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACASC1 = 10	4,560	67.25	62.98
2	Black or African American only Notes: MRACASC1 = 20	1,845	27.21	30.15
3	American Indian or Alaskan Native only Notes: MRACASC1 = 30	68	1.00	1.32
4	Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47	39	0.58	1.10
5	Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54	8	0.12	0.20
6	Other race only Notes: MRACASC1 = 60	113	1.67	2.17
7	Multiracial Notes: MRACASC1 >= 100	88	1.30	1.02
77	Don't know/Not sure Notes: MRACASC1 = 77	11	0.16	0.36
99	Refused Notes: MRACASC1 = 99	49	0.72	0.70

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.5 Calculated Race Variables

Type: Num

Column: 2225-2226

SAS Variable Name: _M_RACE

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	4,560	67.25	62.98
20	Black or African American	1,845	27.21	30.15
30	American Indian or Alaska Native	68	1.00	1.32
40	Asian	29	0.43	0.82
41	Asian Indian	1	0.01	0.04
42	Chinese	3	0.04	0.05
43	Filipino	2	0.03	0.02
45	Japanese	1	0.01	0.02
46	Vietnamese	2	0.03	0.10
47	Other Asian	1	0.01	0.03
50	Pacific Islander	6	0.09	0.14
54	Other Pacific Islander	2	0.03	0.07
60	Other	113	1.67	2.17
70	Multiple responses	88	1.30	1.02
77	Don't know/Not Sure	11	0.16	0.36
99	Refused	49	0.72	0.70

Hispanic, Latino/a, or Spanish origin calculated variable

Calculated Variables: 8.6 Calculated Race Variables

Type: Num

Column: 2227

SAS Variable Name: _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Hispanic, Latino/a, or Spanish origin Notes: Hispanic, Latino/a, Spanish	161	2.37	4.16
2	Not of Hispanic, Latino/a, or Spanish origin Notes: Not Hispanic, Latino/a, Spanish	6,583	97.08	95.32
9	Don't Know, Refused or Missing	37	0.55	0.52

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

Calculated Variables: 8.7 Calculated Race Variables

Type: Num

Column: 2228

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10	4,462	65.80	60.79
2	Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20	1,839	27.12	29.99
3	American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33	65	0.96	1.25
4	Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47	39	0.58	1.10
5	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54	6	0.09	0.14
6	Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60	63	0.93	0.84
7	Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77	75	1.11	0.73
8	Hispanic Notes: _HISPANC = 1	161	2.37	4.16
9	Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2	71	1.05	1.01

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 8.8 Calculated Race Variables

Type: Num

Column: 2229

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: _RACE = 1	4,462	65.80	60.79
2	Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8	2,248	33.15	38.21
9	Don't know/Not sure/Refused Notes: _RACE = 9	71	1.05	1.01

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

Calculated Variables: 8.9 Calculated Race Variables

Type: Num

Column: 2230

SAS Variable Name: _RACEGR3

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	4,462	65.80	60.79
2	Black only, Non-Hispanic	1,839	27.12	29.99
3	Other race only, Non-Hispanic	173	2.55	3.33
4	Multiracial, Non-Hispanic	75	1.11	0.73
5	Hispanic	161	2.37	4.16
9	Don't know/Not sure/Refused	71	1.05	1.01

Computed race groups used for internet prevalence tables

Calculated Variables: 8.10 Calculated Race Variables

Type: Num

Column: 2231

SAS Variable Name: _RACE_G1

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic	4,462	66.50	61.41
2	Black - Non-Hispanic	1,839	27.41	30.29
3	Hispanic	161	2.40	4.20
4	Other race only, Non-Hispanic	173	2.58	3.36
5	Multiracial, Non-Hispanic	75	1.12	0.74
BLANK	Don't know/Not sure/Refused component question	71		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

Calculated Variables: 8.11 Calculated Variables

Type: Num

Column: 2232-2233

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	424	6.25	13.24
2	Age 25 to 29 Notes: 25 <= AGE <= 29	380	5.60	9.57
3	Age 30 to 34 Notes: 30 <= AGE <= 34	373	5.50	8.92
4	Age 35 to 39 Notes: 35 <= AGE <= 39	370	5.46	7.55
5	Age 40 to 44 Notes: 40 <= AGE <= 44	407	6.00	8.31
6	Age 45 to 49 Notes: 45 <= AGE <= 49	530	7.82	7.59
7	Age 50 to 54 Notes: 50 <= AGE <= 54	670	9.88	9.32
8	Age 55 to 59 Notes: 55 <= AGE <= 59	734	10.82	8.35
9	Age 60 to 64 Notes: 60 <= AGE <= 64	752	11.09	8.00
10	Age 65 to 69 Notes: 65 <= AGE <= 69	696	10.26	6.27
11	Age 70 to 74 Notes: 70 <= AGE <= 74	539	7.95	4.52
12	Age 75 to 79 Notes: 75 <= AGE <= 79	392	5.78	3.78
13	Age 80 or older Notes: 80 <= AGE <= 99	456	6.72	3.74
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	58	0.86	0.84

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in two age groups calculated variable

Calculated Variables: 8.12 Calculated Variables

Type: Num

Column: 2234

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	4,640	68.43	80.86
2	Age 65 or older Notes: 65 <= AGE <= 99	2,083	30.72	18.30
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	58	0.86	0.84

Imputed age in six groups

Calculated Variables: 8.13 Calculated Variables

Type: Num

Column: 2235

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	424	6.25	13.24
2	Age 25 to 34 Notes: 25 <= AGE <= 34	754	11.12	18.54
3	Age 35 to 44 Notes: 35 <= AGE <= 44	787	11.61	16.11
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,220	17.99	17.17
5	Age 55 to 64 Notes: 55 <= AGE <= 64	1,513	22.31	16.64
6	Age 65 or older Notes: AGE >= 65	2,083	30.72	18.30

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Height in Inches

Calculated Variables: 8.14 Calculated Variables

Type: Num

Column: 2236-2238

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	6,620	100.00	100.00
BLANK		161		

Computed Height in Meters

Calculated Variables: 8.15 Calculated Variables

Type: Num

Column: 2239-2241

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	6,625	100.00	100.00
BLANK		156		

Computed Weight in Kilograms

Calculated Variables: 8.16 Calculated Variables

Type: Num

Column: 2242-2246

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046)	6,436	94.91	95.10
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values	345	5.09	4.90

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed body mass index

Calculated Variables: 8.17 Calculated Variables

Type: Num

Column: 2247-2250

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	6,366	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999	415		

Computed body mass index categories

Calculated Variables: 8.18 Calculated Variables

Type: Num

Column: 2251

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	101	1.59	1.48
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	1,848	29.03	29.60
3	Overweight Notes: 2500 <= _BMI5 < 3000	2,198	34.53	34.05
4	Obese Notes: 30000 <= _BMI5 = 9999	2,219	34.86	34.87
BLANK	Don't know/Refused/Missing Notes: _BMI5 = 9999	415		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Overweight or obese calculated variable

Calculated Variables: 8.19 Calculated Variables

Type: Num

Column: 2252

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places)	1,949	28.74	29.15
2	Yes Notes: 2500 <= _BMI5 < 9999	4,417	65.14	64.65
9	Don't know/Refused/Missing Notes: _BMI5 = 9999	415	6.12	6.20

Computed number of children in household

Calculated Variables: 8.20 Calculated Variables

Type: Num

Column: 2253

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	4,790	70.64	60.77
2	One child in household Notes: CHILDREN = 01	880	12.98	16.75
3	Two children in household Notes: CHILDREN = 02	668	9.85	13.32
4	Three children in household Notes: CHILDREN = 03	274	4.04	5.68
5	Four children in household Notes: CHILDREN = 04	96	1.42	1.97
6	Five or more children in household Notes: 05 <= CHILDREN < 88	42	0.62	1.10
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	31	0.46	0.41

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed level of education completed categories

Calculated Variables: 8.21 Calculated Variables

Type: Num

Column: 2254

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	819	12.08	17.90
2	Graduated High School Notes: EDUCA = 4	2,137	31.51	33.72
3	Attended College or Technical School Notes: EDUCA = 5	1,813	26.74	28.12
4	Graduated from College or Technical School Notes: EDUCA = 6	1,973	29.10	19.68
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	39	0.58	0.58

Computed income categories

Calculated Variables: 8.22 Calculated Variables

Type: Num

Column: 2255

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	907	13.38	13.05
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	1,161	17.12	17.51
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	612	9.03	8.44
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	715	10.54	10.55
5	\$50,000 or more Notes: INCOME2 = 7 or 8	2,289	33.76	34.17
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,097	16.18	16.28

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Smoking Status

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 2256

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	938	13.83	16.02
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	381	5.62	6.91
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,658	24.45	21.18
4	Never smoked Notes: SMOKE100 = 2	3,537	52.16	51.46
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	267	3.94	4.43

Current Smoking Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 2257

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	5,195	76.61	72.64
2	Yes Notes: _SMOKER3 = 1 or 2	1,319	19.45	22.93
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	267	3.94	4.43

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 2258

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	2,960	43.65	46.69
2	No Notes: ALCDAY5=888	3,473	51.22	47.76
7	Don't know/Not Sure Notes: ALCDAY5=777	90	1.33	1.42
9	Refused/Missing Notes: ALCDAY5=999, Missing	258	3.80	4.14

Computed drink-occasions-per-day

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 2259-2261

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	3,473	51.22	47.76
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	2,960	43.65	46.69
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	348	5.13	5.55

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Binge Drinking Calculated Variable

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 2262

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	5,571	82.16	78.32
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	794	11.71	14.92
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	416	6.13	6.76

Computed number of drinks of alcohol beverages per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 2263-2266

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	3,473	51.22	47.76
1 - 9899	Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2	2,906	42.86	45.67
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	402	5.93	6.57

Computed total number drinks a month

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 2267-2270

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY4 = 0	3,473	51.22	47.76
1 - 9998	Number of Drinks Notes: _DRNKDY4 * 30	2,906	42.86	45.67
9999	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	402	5.93	6.57

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.6 Calculated Variables **Type:** Num

Column: 2271 **SAS Variable Name:** _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	6,009	88.62	87.39
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1	370	5.46	6.04
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	402	5.93	6.57

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.7 Calculated Variables **Type:** Num

Column: 2272 **SAS Variable Name:** _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888	2,264	87.24	85.78
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2	159	6.13	6.83
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	172	6.63	7.39
BLANK	Respondent is female Notes: SEX = 2	4,186		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 2273

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	3,745	89.46	88.89
2	Yes Notes: SEX = 2 and _DRNKDY4 > 1	211	5.04	5.31
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	230	5.49	5.80
BLANK	Respondent is male Notes: SEX = 1	2,595		

Flu Shot Calculated Variable

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 2274

SAS Variable Name: _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT6 = 1	1,322	61.75	60.08
2	No Notes: AGE >=65 and FLUSHOT6 = 2	688	32.13	32.22
9	Don't know/Not Sure Or Refused/Missing	131	6.12	7.69
BLANK	Age Less Than 65	4,640		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Pneumonia Vaccination Calculated Variable

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 2275

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	1,338	62.49	60.23
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	624	29.15	29.76
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	179	8.36	10.01
BLANK	Age Less Than 65 Notes: AGE < 65	4,640		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 2276

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	6,294	92.82	91.56
2	Sometimes, Seldom, or Never Wear Seat Belt	186	2.74	3.48
9	Don't know/Not Sure Or Refused/Missing	301	4.44	4.96

Always Wear Seat Belts

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 2277

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	5,956	87.83	85.24
2	Don't Always Wear Seat Belt	524	7.73	9.80
9	Don't know/Not Sure Or Refused/Missing	301	4.44	4.96

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Women respondents aged 40+ who have had a mammogram in the past two years

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 2278

SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ who have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	2,343	71.35	69.98
2	No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	739	22.50	23.48
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	202	6.15	6.54
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	3,497		

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 2279

SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ who have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 1 or 2	1,976	72.83	72.43
2	No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 or HADMAM = 2	565	20.83	20.98
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	172	6.34	6.58
BLANK	Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing	4,068		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Women respondents aged 50-74 that have had a mammogram in the past two years

Calculated Variables: 15.3 Calculated Variables

Type: Num

Column: 2280

SAS Variable Name: _MAM5021

Prologue:

Description: Women respondents aged 50-74 who have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 1 or 2	1,587	79.47	79.37
2	Did not receive a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 or HADMAM = 2	410	20.53	20.63
BLANK	Missing, Age less than 50 or greater than 74 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE > 74 or SEX = 2 and 50 <= AGE <= 74 and HADMAM = missing or HOWLONG = missing	4,784		

Women respondents aged 18+ who have had a pap test in the past three years

Calculated Variables: 15.4 Calculated Variables

Type: Num

Column: 2281

SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ who have had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	1,798	75.80	76.89
2	No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	490	20.66	20.35
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	84	3.54	2.76
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	4,409		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Women respondents aged 21-65 who have had a pap test in the past three years

Calculated Variables: 15.5 Calculated Variables

Type: Num

Column: 2282

SAS Variable Name: _RFPAP33

Prologue:

Description: Women respondents aged 21-65 who have had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	1,482	84.16	84.00
2	Did not receive a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	279	15.84	16.00
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and SEX = 2 AGE < 21 or SEX = 2 and AGE > 65 or SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	5,020		

Male respondents aged 40+ who have had a PSA test in the past 2 years

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 2283

SAS Variable Name: _RFPSA21

Prologue:

Description: Male respondents aged 40+ who have had a PSA test in the past 2 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 1 or 2	968	52.30	46.56
2	No Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST1 = 2	745	40.25	46.29
9	Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST1 = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	138	7.46	7.15
BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST1 = missing or SEX = 1 and AGE = < 40 or SEX = 2	4,930		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents aged 50+ who have had a blood stool test within the past two years

Calculated Variables: 17.1 Calculated Variables

Type: Num

Column: 2284

SAS Variable Name: _RFBLDS2

Prologue:

Description: Respondents aged 50+ who have had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2	644	15.73	15.21
2	No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	3,259	79.62	79.90
9	Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing	190	4.64	4.89
BLANK	Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50	2,688		

Respondents aged 50-75 who have had a blood stool test within the past year

Calculated Variables: 17.2 Calculated Variables

Type: Num

Column: 2285

SAS Variable Name: _RFBLDS3

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2	326	10.13	9.70
2	Hve not had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	2,893	89.87	90.30
BLANK	Missing, Age less than 50, Age greater than 75 Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = missing, don't know or refused or 50 <= AGE <= 75 and BLDSTOOL = missing, don't know or refused or AGE < 50 or AGE > 75	3,562		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables: 17.3 Calculated Variables

Type: Num

Column: 2286

SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older who have had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and HADSIGM3 = 1	2,780	68.00	64.80
2	No Notes: AGE => 50 and HADSIGM3 = 2	1,232	30.14	32.74
9	Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9	76	1.86	2.46
BLANK	Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50	2,693		

Respondents aged 50-75 that who have had a colonoscopy in the past 10 years

Calculated Variables: 17.4 Calculated Variables

Type: Num

Column: 2287

SAS Variable Name: _COL10YR

Prologue:

Description: Respondents aged 50-75 that who have had a colonoscopy in the past 10 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGCO1=2 and LASTSIG3=1,2,3,4,5	2,002	63.29	60.06
2	Did not receive a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=2 and LASTSIG3=6	1,161	36.71	39.94
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or AGE < 50 or AGE > 75	3,618		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a blood stool test within the past 3 years

Calculated Variables: 17.5 Calculated Variables

Type: Num

Column: 2288

SAS Variable Name: _HFOB3YR

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past 3 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=1 and LSTBLDS3=1,2,3	623	19.35	18.70
2	Did not receive a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=2 or BLDSTOOL=1 and LSTBLDS3=4	2,596	80.65	81.30
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and BLDSTOOL=missing, don't know or refused or LSTBLDS3=missing, don't know or refused or AGE<50 or AGE>75	3,562		

Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years

Calculated Variables: 17.6 Calculated Variables

Type: Num

Column: 2289

SAS Variable Name: _FS5YR

Prologue:

Description: Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGC01=1 and LASTSIG3=1,2,3,4	44	2.86	2.75
2	Did not receive a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=1 and LASTSIG3=5,6	1,497	97.14	97.25
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or HADSGC01=missing, don't know or refused or AGE<50 or AGE>75	5,240		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years

Calculated Variables: 17.7 Calculated Variables

Type: Num

Column: 2290

SAS Variable Name: _FOBTFS

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did have had a sigmoidoscopy within the past 5 years and a blood stool test within the past 3 years. Notes: 50<= AGE <=75 and _HFOB3YR=1 and _FS5YR=1	10	0.35	0.31
2	Did not receive a sigmoidoscopy within the past 5 years or did not receive a blood stool test within the past 3 years Notes: 50<= AGE <=75 and _HFOB3YR=2 or _FS5YR=2	2,840	99.65	99.69
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and _HFOB3YR=missing or _FS5YR=missing or both are missing	3,931		

Respondents aged 50-75 who have fully met the USPSTF recommendation

Calculated Variables: 17.8 Calculated Variables

Type: Num

Column: 2291

SAS Variable Name: _CRCREC

Prologue:

Description: Respondents aged 50-75 who have fully met the USPSTF recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=1 or _FOBTFS=1 or _COL10YR=1 or _HFOB3YR=1 AND HADSIGM3=1 AND LASTSIG3 IN (1,2,3,4)	2,137	67.37	64.18
2	Did not receive one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=2 AND _FOBTFS=2 AND _COL10YR=2	1,035	32.63	35.82
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50 <= AGE <= 75 and _RFBLDS3=missing or don't know or refused or FOBTFS=missing don't know or refused or _COL10YR=missing don't know or refused or AGE < 50 or AGE > 75	3,609		

Behavioral Risk Factor Surveillance System
 LOUISIANA 2014 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 2292

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	2,284	35.58	41.48
2	No Notes: HIVTST6 = 2	3,812	59.39	54.14
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	323	5.03	4.38
BLANK	Not asked or missing Notes: HIVTST6 = Missing	362		